



# FUNERAL HOME CATALOGUE

Quality Equipment  
Enterprise Solutions  
Home & Community




# Funeral Home & Mortuary Equipment



## Chapel Trolley

sova / dignity in motion



Height Range 500 - 900mm

- Easily transfer coffin without having to manually lift
- High/low operation accommodates any vehicle height
- Electric high/low operation. Optional skirt allows trolley to transform to a chapel stand. Electric casket brake
- Electric casket lock front and rear
- Zinc epoxy coated frame
- Dual floor locks
- 200mm diameter rubber tyres for smooth transfer
- Linak electrics 24 volt system



Chapel Trolley - Fabric Skirt

Colour options available



Code	Description	Length	Width	Height	S.W.L
WAT903260	Chapel Trolley	1200 mm	505 mm	500 - 900 mm	350 kg
WAT903270	Chapel Trolley - Fabric Skirt				



## Aidacare A320 Aluminium Bariatric Lifter



### Ergonomic Handles & Support Arms



Provide multiple grip points. Folding support arms assist with stability or mobility

### Safety Stop Button



Emergency stop button, emergency lowering and anti-entrapment technology

### Powered Leg Function



Opens and closes the legs for lifting stability or accessibility



### Quick Release 4 Point Yoke

One touch release and attach mechanism



### Ergonomic Handset

Linak technology fits neatly in the hand with an intuitive control panel



### High Quality Castors

2 x 100mm front castors  
2 x 125mm rear locking castors



Battery



Electronics



Frame



Code	Description	Overall Height	Overall Length	Overall Width	Lifter Weight
LSS390630	Lifter A320 - Bariatric Lifter - Aluminium	2165 mm	1505 mm	765 mm	63 kg




sova / dignity in motion

## Mortuary Trolley - Drive Unit - 350kg

- Dual purpose roller design for coffin & body trays
- Dual actuators
- Heavy duty engineered polymer rollers
- Ergonomic side push/pull handles
- Electric high/low operation
- Electric coffin/tray brake
- High capacity maintenance free battery pack
- Electric drive unit
- Flat free tyres
- Electric safety park brake
- Variable speed controller
- Suspension system for uneven surfaces & superior traction
- Digital volt meter

Code	Description	Length	Width	Height	S.W.L
WAT903250	Mortuary Trolley - Drive Unit - 350 kg	2460 mm	750 mm	475 - 1900mm	350 kg
WAT903255	Mortuary Trolley - Drive Unit - Side Loading - 350 kg	2460 mm	750 mm	475 - 1900mm	350 kg




sova / dignity in motion

## Mortuary Trolley - 200kg

- Dual purpose roller design for coffin & body trays
- Handset high/low
- Heavy duty engineered polymer rollers
- Height adjustable push handle
- Electric high/low operation
- Rechargeable battery pack
- Electric body tray & coffin brake

Code	Description	Length	Width	Height	S.W.L
WAT903230	Mortuary Trolley - 200 kg	2060 mm	640 mm	290 - 1700 mm	200 kg
WAT903235	Mortuary Trolley - Side Loading - 200 kg	2060 mm	640 mm	290 - 1700 mm	200 kg




sova / dignity in motion

## Mortuary Trolley - 350kg

- Dual purpose roller design for coffin & body trays
- Dual actuators
- Heavy duty engineered polymer rollers
- Ergonomic side push/pull handles
- Electric high/low operation
- Electric coffin/tray brake
- High capacity maintenance free battery pack

Code	Description	Length	Width	Height	S.W.L
WAT903240	Mortuary Trolley - 350 kg	2270 mm	750 mm	475 - 1900 mm	350 kg
WAT903245	Mortuary Trolley - Side Loading - 350 kg	2270 mm	750 mm	475 - 1900 mm	350 kg



S O V A / dignity in motion

## Mortuary Trolley Turn Table - 200kg

- 90 degree rotatable roller bed for tight spaces
- Dual purpose roller design
- Handset high/low
- Heavy duty engineered polymer rollers
- Height adjustable push handle
- Electric high/low operation
- Electric body tray & coffin brake
- Electric body tray drain angle function

Code	Description	Length	Width	Height	S.W.L
WAT903215	Mortuary Trolley Turn Table	2140 mm	705 mm	450 - 1700 mm	200 kg



S O V A / dignity in motion

## Embalming /Autopsy Trolley - 200kg

- Dual actuators
- 304 stainless steel top section
- Electric tilt function for easy draining
- Drain hole with hose
- Push handles both ends
- Corner buffers
- Electric tilt function for easy drainage
- 4 x buffers on corners

Code	Description	Length	Width	Height	S.W.L
WAT903220	Embalming/Autopsy Trolley	2200 mm	740 mm	615 - 1015 mm	200 kg
WAT903280	Infill panels				



S O V A / dignity in motion

## Concealment Trolley - 250kg

- Linak electrics – 24 volt system
- Hard-wired handset
- High/low adjustable 650 - 1050mm
- Removable battery
- Zinc epoxy coated base frame
- Stainless steel top frame and tray
- 150mm lockable castors
- Gas Strut operated side rails

Code	Description	Length	Width	Height	S.W.L
WAT903210	Concealment Trolley	2055 mm	740 mm	650 - 1050 mm	250 kg



S O V A / dignity in motion

## Mortuary Body Rack 1 Bay - 2 Tier - Mobile

- Open designs allows access for cleaning
- 2 tier modular design (multiple bays can be assembled)
- 100mm total lock castors
- Optimised tier height
- Custom size can be designed
- 200 - 350kg SWL per bay

Code	Description	Length	Width	Height	S.W.L
WAT903171	1 Bay - 2 Tiers - Light	2080 mm	715 mm	1170 mm	200 kg
WAT903170	1 Bay - 2 Tiers - Std	2320 mm	715 mm	1170 mm	300 kg
WAT903172	1 Bay - 2 Tiers - Bariatric	2320 mm	915 mm	1170 mm	350 kg



S O V A / dignity in motion

## Mortuary Body Rack - 1 Bay - 3 Tier

- Open designs allows access for cleaning
- 3 tier modular design (multiple bays can be assembled)
- Adjustable stainless steel feet
- Optimised tier height
- Custom size can be designed
- 200 - 350kg SWL per bay

Code	Description	Length	Width	Height	S.W.L
WAT903174	1 Bay - 3 Tiers - Light	2080 mm	715 mm	1510 mm	200 kg
WAT903173	1 Bay - 3 Tiers - Std	2320 mm	715 mm	1670 mm	300 kg
WAT903177	1 Bay - 3 Tiers - Bariatric	2320 mm	915 mm	1670 mm	350 kg
WAT903176	1 Bay - 3 Tiers - Side Loading - Light	2110 mm	715 mm	1510 mm	200 kg
WAT903175	1 Bay - 3 Tiers - Side Loading - Std	2320 mm	715 mm	1670 mm	300 kg
WAT903178	1 Bay - 3 Tiers - Side Loading - Bariatric	2320 mm	915 mm	1670 mm	350 kg



sova / dignity in motion

## Mortuary Body Rack - 2 Bay - 3 Tier

- Open designs allows access for cleaning
- 3 tier modular design (multiple bays can be assembled)
- Adjustable stainless steel feet
- Optimised tier height
- Custom size can be designed
- 200kg SWL per bay

Code	Description	Length	Width	Height	S.W.L
WAT903184	2 Bay - 3 Tiers - Light	2080 mm	1380 mm	1510 mm	200 kg



sova / dignity in motion

## Mortuary Body Rack - 2 Bay - 4 Tier

- Open designs allows access for cleaning
- 4 tier modular design (multiple bays can be assembled)
- Adjustable stainless steel feet
- Optimised tier height
- Custom size can be designed
- 200kg SWL per bay

Code	Description	Length	Width	Height	S.W.L
WAT903190	2 Bay - 4 Tiers - Light	2080 mm	1380 mm	1510 mm	200 kg



sova / dignity in motion

## Mortuary Body Rack - 1 Bay - 4 Tier

- Open designs allows access for cleaning
- 4 tier modular design (multiple bays can be assembled)
- Adjustable stainless steel feet
- Optimised tier height
- Custom size can be designed
- 200kg SWL per bay

Code	Description	Length	Width	Height	S.W.L
WAT903180	1 Bay - 4 Tiers - Light	2080 mm	715 mm	1760 mm	200 kg




sova / dignity in motion

## Mortuary Body Tray - Light - 200kg

- Stainless steel construction
- Push/pull handles both ends
- Angled sides allow for easy side transfer
- Tubular sub-frame
- Angled corners allow for easy cleaning and fluid removal

Code	Description	Length	Width	Height	S.W.L
WAT903151	Mortuary Body Tray - Light - End Loading	1950 mm	600 mm	165 mm	200 kg
WAT903153	Mortuary Body Tray - Light - Side Loading	1950 mm	600 mm	165 mm	200 kg




sova / dignity in motion

## Mortuary Body Tray - Standard - 300kg

- Stainless steel construction
- Push/pull handles both ends
- Angled sides allow for easy side transfer
- Tubular sub-frame
- Angled corners allow for easy cleaning and fluid removal

Code	Description	Length	Width	Height	S.W.L
WAT903150	Mortuary Body Tray - Std - End Loading	2200 mm	600 mm	75 mm	300 kg
WAT903152	Mortuary Body Tray - Std - Side Loading	2200 mm	600 mm	75 mm	300 kg




sova / dignity in motion

## Mortuary Body Tray - Bariatric - 350kg

- Stainless steel construction
- Push/pull handles both ends
- Angled sides allow for easy side transfer
- Tubular sub-frame
- Angled corners allow for easy cleaning and fluid removal

Code	Description	Length	Width	Height	S.W.L
WAT903160	Mortuary Body Tray - Bariatric - End Loading	2200 mm	800 mm	75 mm	350 kg
WAT903162	Mortuary Body Tray - Bariatric - Side Loading	2200 mm	800 mm	75 mm	350 kg



S O V A / dignity in motion

## Mortuary Spreader Bar - 200kg

- Optional Stretch Leveller allows for quick adjustment
- Can be used with a full lift sheet or with 4 lift straps
- Lightweight design weighing at 7.2kg
- Optional quick-release hook system is also available
- Compatible with Liko patient lifters & Liko ceiling hoists, Prism ceiling hoists, Aidacare A320, A205 and 200 lifters

Code	Description	Length	Width	Height	S.W.L
LSS394920	Mortuary Spreader Bar - 200 kg	1263 mm	617 mm	227 mm	200 kg



S O V A / dignity in motion

## Lifting Frame w/ Electric Tilt & Level - 350kg

- 5 hanger positions – Adjustable
- Simple and fast attachment
- Epoxy powder coat finish
- Central hanging pivot point
- Aluminium extrusion main frame
- Rechargeable battery
- Battery level indicator

Code	Description	Length	Width	Height	S.W.L
LIC354194	Lifting Frame w/ Electric Tilt & Level	1194 mm	488 mm	286 mm	350 kg



## Ceiling Hoist - Motor - P200 Portable

- Portable Hoist that can be used on the go
- Allows the client to be transferred from 'room to room' without the need to be disconnected from the hoist
- Quiet operation with 'soft start/ stop'
- Emergency Lowering Facility allows the safe lowering of the hoist in the unlikely event of failure of the controls
- Integrated Full Width Carry Bar with Unique Contoured Shape

Code	Description	Suits	S.W.L
LIC350110	P200 Portable Manual Traverse 200 kg quick release system	Ceiling Hoist Gantry - LIC352120	200 kg



## Ceiling Hoist - Motor - CP200 Portable

- Slimline, low profile, padded carry bar that has six loop attachments as standard (four-point hook optional). Different width carry bars also available
- Low profile hoist unit is unobtrusive and provides greater lifting height
- All lifting and traversing operations have soft start/ stop to ensure smooth transfers for the patient

Code	Description	Suits	S.W.L
LIC350105	CP200 Portable Ceiling Hoist	Ceiling Hoist Gantry - LIC352120	200 kg




S O V A / dignity in motion

## Mortuary Spreader Bar Lifting Strap

- To be used in conjunction with the Morgue Sling (4 bands) to allow optimal transfers in morgue applications
- Suitable for use with Fixed Ceiling Lifts
- Compatible with Liko patient lifters & Liko ceiling hoists, Prism ceiling hoists, Aidacare A320, A205 and 200 patient lifters

Code	Description	Length	Width
LIC354197	Lifting strap - Short - 2 eyelets	1300 mm	80 mm
LIC354198	Lifting strap - Medium - 5 eyelets	1500 mm	80 mm
LIC354199	Lifting strap - Long - 5 eyelets	2000 mm	80 mm



## Mortuary Spreader Bar - 363kg

- Multiple hook positions - 13 total
- Simple and fast attachment
- Epoxy powder coat finish
- Central hanging pivot point
- Mild steel heavy wall tubular frame
- Suitable for use with ceiling mounted lift systems & floor hoists

Code	Description	Length	Height	S.W.L
LIC354195	Mortuary Spreader Bar - 363kg	1580mm	165mm	363 kg



## Ceiling Hoist - Bariatric C380 Power Traverse

- Carry bar fitted with Quick Release System for simple interchange of carry bars
- Emergency stop/emergency lower
- Smooth stop start
- Bariatric four point carry bar
- Low profile hoist unit provides a great lift height

Code	Description	Suits	S.W.L
LIC350260	C-380P Power Traverse (Carry Bar Separate)	Installed Ceiling Hoist Track - LIC353120K	380 kg



## Ceiling Hoist - Motor - Transactive Xtra Fixed

- Slimline and with great lifting capacity
- Low profile hoist unit is unobtrusive and provides greater lifting height
- All lifting and traversing operations have soft start/stop to ensure smooth transfers for the patient
- A host of safety features
- Smooth running tape with large lifting range
- State of the art display with lift counter

Code	Description	Length	S.W.L
LIC350170	Transactive - Manual Traverse & Carry bar	Installed Ceiling Hoist Track - LIC353120K (ALL)	200 kg
LIC350180	Transactive - Powered Traverse & Carry bar		200 kg
LIC350210	Transactive - Power Traverse & Carry bar		270 kg



## Ceiling Hoist Gantry

- Works with ceilings from 2133mm to 2743mm
- Span adjustable from 2100mm to 3000mm
- Easy to read pressure gauge indicator ensures safe installation
- Optional carry bag

Code	Description	Suits	S.W.L
LIC352120	Pressure Fit System	P200 Ceiling Hoist - LIC350110 CP200 Ceiling Hoist - LIC350105	200 kg




## Casket Lowering System

- Coffin end stops
- Heavy duty engineered polymer rollers
- Epoxy powder coated steel frame
- Knock down construction for storage
- Lever action swing away support rollers
- Safety guide rail
- Coffin lowering assist guide rail
- Heavy duty construction

Code	Description	S.W.L
WAT903290	Casket Lowering System - Manual	350 kg
WAT903300	Casket Lowering System - Electric	350 kg
WAT903310	Aluminium grave surround to suit casket lowering system	1000 kg

s o v a / dignity in motion




## Grave Spreader

- Epoxy powder coated
- Adjustable width settings

Code	Description
WAT903320	Casket Lowering System - Manual

s o v a / dignity in motion

## NSW


 **SYDNEY SOUTH**  
Building 3A, 1 Moorebank Ave  
Moorebank NSW 2170  
Tel: (02) 8706 2300  
Fax: (02) 9618 5111

 **SYDNEY NORTH**  
Unit 2/4 Stanton Rd,  
Seven Hills NSW 2147  
Tel: (02) 8706 2330  
Fax: (02) 9624 4256

 **WOLLONGONG**  
140 Church St,  
Wollongong NSW 2500  
Tel: (02) 8706 2359  
Fax: (02) 9618 5111

 **ALBURY**  
347 Urana Rd,  
Lavington NSW 2641  
Tel: (02) 6040 3444  
Fax: (02) 6040 3222

 **ORANGE**  
Unit 1/12-16 Ash St,  
Orange NSW 2800  
Tel: 0437 134 295


 **TAMWORTH**  
Unit 3/248 Peel St,  
Tamworth NSW 2340  
Tel: (02) 6761 2018  
Fax: (02) 6761 2090

 **PORT MACQUARIE**  
31 Jindalee Rd,  
Port Macquarie NSW 2444  
Tel: (02) 6581 0018  
Fax: (02) 6581 0038

 **COFFS HARBOUR**  
2/177 Orlando St,  
Coffs Harbour NSW 2450  
Tel: (02) 6651 5333  
Fax: (02) 6652 1272

 **BALLINA**  
18 Endeavour Cl,  
Ballina NSW 2478  
Tel: (02) 6686 6644  
Fax: (02) 6686 9383

## QLD

 **BRISBANE SOUTH**  
30 Dulacca Street  
Acacia Ridge QLD 4110  
Tel: (07) 3086 2900  
Fax: (07) 3345 7961

 **BRISBANE NORTH**  
354 Bilsen Rd,  
Geebung QLD 4034  
Tel: (07) 3086 2950  
Fax: (07) 3865 7896


 **GOLD COAST**  
Unit 1/ 48 Olympic Circuit,  
Southport QLD 4215  
Tel: (07) 5532 6070  
Fax: (07) 5503 1803


 **TOOWOOMBA**  
1/259 James St,  
Toowoomba QLD 4350  
Tel: (07) 3086 2990  
Fax: (07) 4632 6473

 **HERVEY BAY**  
3/19 Islander Rd,  
Hervey Bay  
Pialba QLD 4655  
Tel: 07 4194 5019

 **SUNSHINE COAST**  
Unit 2, 35 Premier Circuit,  
Warana QLD 4575  
Tel: (07) 3086 2980  
Fax: (07) 3345 796

## VIC

 **MELBOURNE NORTH**  
82 Albion St,  
Brunswick East VIC 3057  
Tel: (03) 9981 2100  
Fax: (03) 9384 2088

 **MELBOURNE SOUTH**  
313 Warrigal Rd,  
Cheltenham VIC 3192  
Tel: (03) 9584 1644  
Fax: (03) 9584 0562

 **GEELONG**  
74-76 Fyans St,  
Geelong VIC 3220  
Tel: (03) 5223 2263  
Fax: (03) 5223 2269

 **BENDIGO**  
51 Bridge St,  
Bendigo VIC 3550  
Tel: (03) 5441 8213  
Fax: (03) 5441 7762

 **MILDURA**  
18 Eighth St,  
Mildura VIC 3500  
Tel: (03) 5022 0755  
Fax: (03) 5021 1845

## TAS

 **HOBART**  
18 Mertonvale Circuit,  
Kingston TAS 7050  
Tel: (03) 6229 4733  
Fax: (03) 6229 3676

 **LAUNCESTON**  
Unit 8/34 Innocent St,  
King Meadows TAS 7250  
Tel: (03) 6334 8922  
Fax: (03) 6229 3676

## SA

 **ADELAIDE**  
21-23 Tikalara St  
Regency Park SA 5010  
Tel: (08) 8118 5600  
Fax: (08) 8346 3236

Distributed By:

 **aidacare**  
HEALTHCARE EQUIPMENT

**1300 133 120**  
[www.aidacare.com.au](http://www.aidacare.com.au)