



Australian Government
Department of Veterans' Affairs

REHABILITATION APPLIANCES PROGRAM (RAP)

RAP National Schedule of Equipment

May 2020

Introduction	i
RAP: An Overview for Providers	i
Eligibility for the provision of RAP equipment	ii
Guidelines for the provision of RAP items	iv
Other Services.....	vi
Contact DVA	vi
Health Provider List/Codes.....	vii
AA00 – Alarm System / Communication Appliances / Assistive Listening Devices	1
AB00 – Beds / Bedding / Pressure Care	4
AC00 – Chairs / Seats	6
AD00 - Continence Products.....	8
AE00 – Cushions / Supports.....	11
AF00 – Diabetes Products	12
AH00 – Eating / Kitchen / Household Adaptive Appliances	13
AJ00 – Footwear	15
AK00 – Tinnitus Devices	15
AL00 – Home Modifications	16
AM00 – Lifting Devices	22
AN00 – Low Vision Appliances (Non-Optical)	23
AP00 – Mobility Appliances	25
AR00 – Orthoses – Splints / Supports / Braces / Slings	31
AS00 – Other Appliances	34
AT00 – Palliative Care Appliances	36
AU00 – Personal Hygiene / Grooming / Dressing Appliances	37
AV00 – Physiotherapy Appliances.....	39
AW00 – Prostheses.....	40
AY00 – Respiratory Home Therapy Appliances	42
AZ00 – Showering / Bathing Appliances	44
BA00 – Speech Pathology Appliances.....	46
Stoma Appliances	48

BD00 – TENS Equipment.....	48
BE00 – Toileting Appliances.....	49
BF00 – Cognitive, Dementia and Memory Assistive Technology	50
BG00 – Falls Prevention	53
BH00 – Assistance Dogs	54
DD00 – Delivery and Testing	55

Rehabilitation Appliances Program

Introduction

What is the Rehabilitation Appliances Program (RAP)

RAP is a program designed to help eligible veterans, war widows/widowers and dependants to live safely and independently, both at home and in the community.

The program aims to provide appropriate equipment which:

- meets an assessed clinical need
- is safe for the individual's use
- is likely to improve independence or self-reliance, and
- is part of a client's health care or rehabilitation plan.

Equipment will be provided from the RAP National Schedule of Equipment (The Schedule). The Schedule is regularly assessed to ensure it provides the most suitable items for client needs.

Who can access RAP

Clients may be eligible for RAP if they have an assessed clinical need for an aid or appliance and either a:

- Gold Card
- White Card and the RAP equipment is for their accepted condition/s.

RAP: An Overview for Providers

The Rehabilitation Appliances Program aims to provide aids, appliances and modifications that support veterans and their families through the provision of aids and appliances that may minimise the impact of disabilities, enhance quality of life, facilitate participation in the community and maximise independence when undertaking daily living activities and enhance overall wellbeing.

Who is involved in assessment for RAP equipment

There are a number of health professionals who may be involved in the RAP assessment process. These include all of the following:

- General Practitioners and Local Medical Officers (GPs and LMOs)
- Medical Specialists
- Registered Nurses
- Allied Health professionals.

The Schedule identifies the most suitable health provider to assess, source and order each aid or appliance, under the "Assessing Health Provider" column. A list of approved assessing health providers can be found on page vii of the Schedule.

The Schedule also identifies the types of assessments recommended for each item, including:

- **functional assessment;** the assessment of the entitled veteran client's ability to undertake the normal activities associated with daily living, including self-mobility. Assessments may include quantitative measurements of:
 - muscle strength
 - joint range of motion
 - cognition and perception
 - oedema and sensation
 - qualitative activity analysis.
- **home assessment;** the assessment of the entitled veteran client's functional abilities within their primary living environment including:
 - environmental access, and associated risks to safe function within and around their primary living environment
 - recommendations to reduce risks associated with the entitled person's functional abilities
 - trial and review of recommended equipment (as below in Product Assessment)
 - education of the entitled person and/or carer.
- **product assessment;** undertaken in conjunction with the entitled veteran client's functional and/or home assessment needs. This assessment incorporates:
 - determining the best "fit" of equipment to the functional needs of the entitled person
 - knowledge of the specifications of the recommended equipment (for example, weight capacity, measurements, size and method of operation)
 - physical (anthropometric) assessment of the entitled person to meet equipment specifications
 - education of the entitled person and/or carer in the operation, maintenance and safety features of the product.

Recommended assessments should be undertaken before an aid or appliance is prescribed or issued.

Rural or Remote Assessments

Where the listed assessing allied health professional for a schedule item isn't available, a LMO may perform the assessment instead. If a LMO needs help with a rural/remote assessment, please contact the Health Provider [enquiries number](#).

RAP Business Rules on eligibility for the provision of RAP equipment

Legislation

Section 90 of the *Veterans' Entitlements Act (VEA) 1986*, Chapter 6, Part 3 of the *Military, Rehabilitation and Compensation Act (MRCA) 2004*, Part 2 of the *Australian Participants in British Nuclear Tests (Treatment) Act 2006* and Section 39 of the *Safety, Rehabilitation and Compensation (Defence-related Claims) Act 1988* (DRCA) provide that only entitled persons may receive items on the Schedule. An entitled person holds either a:

- a Gold Card
- a White Card and an accepted condition/s which is suitable for RAP items.

The above legislation set out “Treatment Principles” (TPs) which describe the objectives of the RAP and impose conditions on the supply of aids and appliances. Part 11 of the Treatment Principles made under the VEA, extend provision of RAP services to DRCA clients with a White Card.

Receiving RAP equipment in an Aged Care Facility

From 1 July 2014, ‘low care’ and ‘high care’ classifications have been replaced with Aged Care Funding Instrument (ACFI) domain categories for people living in Commonwealth funded residential aged care facilities.

Commonwealth funded residential aged care facilities may be expected to provide care and services for clients in their care. As such, residents in Commonwealth funded residential aged care facilities may not be eligible for RAP, depending on their level of care required.

Facilities are responsible for providing certain services and equipment for residents assigned to either:

- a high domain category in at least one ACFI domain
- a medium domain category in at least two ACFI domains.

Clients in residential respite care are still classified as low care and high care.

RAP items received before the client entered a Commonwealth funded residential aged care facility can be kept if the facility approves and is deemed appropriate under its provision through RAP.

RAP items may be approved for a resident if the equipment is customised to the entitled veteran client, and is clinically required.

For more information about aids and appliances supplied under the ACFI, please see the [Aged Care Eligibility Matrix](#).

Provision of aids and appliances in hospital

RAP equipment will only be provided if the item would be required for greater than 30 days following discharge from a public hospital or when the item is required on discharge from a private hospital.

Guidelines for the provision of RAP items

Cost-effective, safe and clinically appropriate aids and appliances

Assessing health providers should choose the most cost-effective, safe and clinically appropriate aids for RAP clients.

Contracted RAP item suppliers should adhere to relevant Australian and international standards, and ensure any therapeutic goods are included on the [Australian Register of Therapeutic Goods](#). Any aids or equipment not on the Register cannot be supplied through RAP.

If you are concerned that a medical device may not be safe, please contact the TGA medical device [Incident Reporting and Investigation Scheme \(IRIS\)](#).

Prior approval (PA) arrangements for RAP items

Assessing Health Providers should consult the ‘Prior Approval Required’ column on the Schedule to determine if prior approval for the provision of the item is required. Prior approval for RAP items is required when any of the following apply:

- the Schedule indicates prior approval is required
- the items are above the financial limit indicated on the Schedule
- there are more items requested than is typically allowed.

Quantity limits are indicated in the ‘prior approval required’ column of the Schedule.

Health providers needing prior approval for an item should:

- submit a comprehensive assessment report
- for contracted items this report should be sent with the relevant Product Direct Order Form to the appropriate DVA contracted supplier
- for non-contracted items the request and accompanying assessment report should be sent to rapgeneralenquiries@dva.gov.au

All Direct Order forms can be found at <http://www.dva.gov.au/dvaforms>

Items that do not appear on the Schedule

The supply of aids and appliances that are not listed on the Schedule must be referred in writing to rapgeneralenquiries@dva.gov.au for consideration. Requests should be submitted by an appropriately qualified health provider. Health providers are required to submit a comprehensive assessment report demonstrating the eligible veteran client’s clinical need for the item, and include evidence that the need is not able to be met by the items already available on the RAP Schedule.

If an entitled veteran client is on an approved DVA Rehabilitation Plan and the aid or appliance is not able to be provided through RAP, it may be provided through their Rehabilitation Plan, as long as it is considered that the item will effectively meet the entitled person’s clinical needs and/or assist them to achieve a rehabilitation goal.

Palliative Care Aids and Appliances

If you are requesting item/s for a client in palliative care, DVA may be able to fast-track the process. Please mark these requests as ‘URGENT AND PALLIATIVE’.

Contracted Suppliers of Equipment

If there is a DVA-contracted supplier for an item on the Schedule, the item should not be sourced from a non-contracted supplier. There are several choices of supplier for each product group.

Please see the relevant RAP assessment/order form or the [Rehabilitation Appliances Program webpage](#) for supplier contact information.

RAP National Guidelines for complex aids and appliances

There are specific [RAP National Guidelines](#) for complex aids and appliances or those that have additional assessment processes. The Guidelines will cover eligibility for each item, and the assessment process required. The Guidelines should be read alongside the RAP Schedule.

Complex aids covered by the Guidelines include:

- Adjustable Electrical Beds
- Assistive Communication Devices
- Closed Circuit Television (CCTV)
- Vehicle Modifications
- Driving Assessments
- Electric Mobility Aids
- Home Modifications
- Recliner Chairs
- Stairlifts
- Assistive Listening Devices
- Assistance Dogs
- Positive Airway Pressure and Humidification Equipment.

Requests for complex equipment sent to DVA for approval must be complete and address the relevant Guideline criteria. DVA cannot consider requests that don't meet these standards.

Usage, maintenance, repairs, and returns

Clients or their carers should be able to arrange maintenance or repairs through their item's supplier. If this is not possible, they should contact DVA for help. If a RAP aid is no longer needed, the client or carer should contact DVA to determine what to do with it.

Neither the client nor their carer should attempt to make repairs to an aid or appliance.

An aid and appliance should be used safely and only for the purpose for which it was designed.

Other Services

Medical Grade Footwear (MGF)

Under DVA's health care arrangements, eligible veterans with a clinical need may be provided with custom made footwear recommended by their podiatrist. This custom made footwear is not provided under the RAP Schedule but through the Medical Grade Footwear (MGF) program.

Further information can be found on the RAP webpage at:

<https://www.dva.gov.au/providers/health-programs-and-services-dva-clients/rehabilitation-appliances-program>

Commonwealth Home Support Programme (CHSP)

The Department of Health's CHSP may provide additional assistance not available under RAP. This program is not funded by DVA and may have additional costs associated.

For more information on the CHSP, telephone the My Aged Care national contact centre on 1800 200 422 or visit the My Aged Care website at www.myagedcare.gov.au

National Disability Insurance Scheme (NDIS)

The NDIS provides support for Australians who are living with a permanent and significant disability by providing reasonable and necessary support needed to live an ordinary life. Eligible veterans and their families receiving aids and appliances through RAP may also receive them through the NDIS, as long as the aids and appliances provided are not the same. For example, a client could receive a walking frame through RAP, and a mobility scooter through the NDIS, but not a frame or scooter from both RAP and the NDIS.

Contact DVA

General Enquiries

- Phone: **1800 555 254**

DVA Health Provider enquiries:

- Phone: **1800 550 457** - select option 1, then option 2, for RAP
- Email: rapgeneralenquiries@dva.gov.au

Health Provider List/Codes

AC	Amputee Clinic
A	Audiologist
At	Audiometrist
CA	Continence Adviser (RN or Physiotherapist Continence Adviser)
Ch	Chiropractor
DC	Diabetes Clinic
DE	Diabetes Educator
D	Dietitian
EP	Exercise Physiologists
LMO	Local Medical Officer
LDO	Local Dental Officer (or dentist)
LVC	Low Vision Clinic
MH OT	Mental Health OT
MH SW	Mental Health Social Worker
O	Orthotist
Op	Optometrist
Ost	Osteopath
OT	Occupational Therapist
PC	Pain Clinic
Physio	Physiotherapist
Psychiat	Psychiatrist
Psych	Psychologist
Pod	Podiatrist
P	Prosthetist
RC	Respiratory Clinic
ReC	Rehabilitation Clinic
RN	Registered Nurse
S	Specialist (includes all medical specialists in relevant field)
SP	Speech Pathologist

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
<u>Adaptive Recreational Sports Aid for Amputees</u>	AW14
<u>Ankle Foot Orthoses</u>	AR19
<u>Ankle Supports</u>	AR01
<u>Assistance Dogs – Psychiatric</u>	BH01
<u>Assistance Dogs – Mobility</u>	BH03
<u>Assistance Dogs – Hearing</u>	BH04
<u>Assistance Dogs – Upkeep Costs</u>	BH05
<u>Back Supports</u>	AE01
<u>Bath Lift (Battery Operated)</u>	AZ07
<u>Bath Board / Bench / Seat</u>	AZ01
<u>Bed - Adjustable electrical</u>	AB01
<u>Bed Back Rest – Electrical</u>	AB18
<u>Bed Back Rest – Manual</u>	AB02
<u>Bed Blocks</u>	AB03
<u>Bed Board</u>	AB04
<u>Bed Cradle</u>	AB06
<u>Bed Stick</u>	AB08
<u>Bed Wedges and Supports</u>	AE02
<u>Bedside Rail</u>	AB09
<u>Bicycle – Stationary Exercise (includes recumbent stationary bikes)</u>	AV01
<u>Bidet (includes electronic model)</u>	BE01
<u>Bi-PAP or V-PAP (Breathing Apparatus)</u>	AY14
<u>Blood Glucose Monitor - a glucometer (non-contracted)</u>	AF09
<u>Blood Glucose Monitor - a glucometer</u>	AF01
<u>Blood Pressure Monitor (Sphygmomanometer)</u>	AS01
<u>Book Holder / Electronic Book Holder</u>	AH04
<u>Bottom Wiper</u>	AU01
<u>Bracelet / Pendant – (medical info for emergency)</u>	AS16
<u>Breast Prosthesis – Non implanted</u>	AW02
<u>Breathing Apparatus - (Bi-PAP or V-PAP)</u>	AY14
<u>Breathing Apparatus - PAP (Positive Airway Pressure)</u>	AY01
<u>Button Hook</u>	AU02
<u>Car Hoist (external and internal)</u>	AP23
<u>Car Modifications – (Training For Use of Modifications)</u>	AP20
<u>Car Modifications (for driving controls/alterations)</u>	AP01
<u>Catheter Drainage Bag – overnight - (non-sterile/sterile) - Drainable</u>	AD22
<u>Catheter Drainage Bag – overnight - (non-sterile/sterile) - Non drainable</u>	AD03
<u>Catheters - External (e.g. uridome/penile sheath/penile pouch)</u>	AD12
<u>Catheters - In-Dwelling (e.g. Foley) – Long term</u>	AD05
<u>Catheters – Intermittent (e.g. Nelaton)</u>	AD11
<u>Catheter Valves - Long/Short Term</u>	AD23
<u>Ceiling Hoist</u>	AM04
<u>Cervical Collars</u>	AR18
<u>Chair – Electrically Operated Lift and Recline Chair</u>	AC06

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
Chair – Fall Out/Water	AC08
Chair - Low/High Back/Ergonomic	AC01
Chair – Manual Recliner	AC09
Chair – Platform/Blocks	AC04
Chair Pads - Water proof	AD24
Clock (braille alarm clock/talking clock)	AN01
Commode Chair – (Bedside) - Toileting Appliances	BE02
Commode Pan/Bed Pan/Slipper Pan	BE03
Commode Shower Chair – Mobile	BE04
Communication Board (including manufacturing costs)	BA03
Communication Devices – Assistive	BA04
Compression Garments	AR22
Compression Garment Consumables (including glue/adhesive/spray)	AR26
Continence Absorbent Mat (For beside the bed only)	AD26
Continence Briefs (washable)	AD06
Continence Briefs (mesh/stretch)	AD19
Continence Consumables	AD15
Continence Pads - Disposable	AD07
Continence Pads – Re-usable/washable	AD21
PAP (Breathing Apparatus)	AY01
PAP Consumables and Accessories	AY19
Crockery and Cutlery – Adaptive	AH01
Crutches – Mobility Appliances	AP03
Cushion – Pressure Care	AE04
Delivery Cost Codes	DD00
Denture Brush with Suction Cup	AU03
Diabetes Consumables	AF07
Diabetes Education and Support Service	AF11
Dignity Clothing	AU16
Disposable Bed Bath/Shampoo Kit	AU05
Disposable Liners/Underpants (blue underlay)	AD02
Donning/Doffing Aids (i.e. for socks, stockings and compression garments)	AU13
Door Bell with Signal Light (Hearing impaired appliance)	AA11
Drainage Kit (Indwelling Pleural/Abdominal)	AT10
Draw Sheet - Absorbent, Water Proof Backing	AD01
Dressing Stick	AU04
Drip Stand	AT12
Driving Assessment	AP24
Ears – Artificial (Ear Prostheses)	AW01
Eating/Kitchen/Household Adaptive Appliances – Misc. Items	AH17
Electronic Mobility Aid	AN08
Enteral Feeding Pump	AS14
Enteral Feeding Pump Consumables	AS15
Exercise Equipment (small items)	AV10

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
Exit Reminder	BF09
Eye – Prosthesis (artificial)	AW03
Faecal Collector - Perianal	AD18
Finger Pricking Device	AF02
Flutter Valve (Lung Mucous Clearance Device)	AY18
Foot Orthotics and Orthoses	AR04
Footstool - Height Adjustable	AC07
Footwear for Prosthetic Limb (ambulatory)	AJ07
Footwear Temporary (including cast boots/shoes)	AJ06
Functional Electrical Stimulation Lower Limb Neuroprostheses	AR31
Glucometer (Blood Glucose Monitor) - standard contract	AF01
Glucometer (Blood Glucose Monitor) - non contracted	AF09
Gripping Aid	AR30
Guide Dog	BH02
Hand Rehabilitation System and Neuroprostheses	AR32
Handle – Utensil	AH06
Hearing impaired appliance (Door Bell with Signal light)	AA11
Heel Elevators for Pressure Care – Beds/Bedding/Pressure Care	AB17
Hip Protectors	AR28
Hoist/Personallifting device (includes sling)	AM01
Home Alarms – (Personal Response Systems) – Monitored	AA05
Home Alarms – (Personal Response Systems) – Non-Monitored	AA03
Home Modifications – Complex e.g. bathroom modifications	AL15
Home Modifications – Minor e.g. grab rails	AL21
Home Modifications – Minor – Labour Component	AL16
Home Safety	BF11
House Portable Clothes Drying Rack	BG05
Humidifier / Vaporiser	AY03
Induction Loop	AA02
Infusion Pump – Volumetric	AT15
Inspiratory Muscle Respiratory Trainer	AY20
Insulin Syringes and Needles	AF03
Intravenous (IV) Set	AT16
Jar Opener	AH07
Jaw Motion Rehabilitation System	BA15
Key Turner	AH08
Knee Supports/Braces	AR02
Knee Walker/Scooter	AP07
Lancets	AF04
Laryngectomy Consumables	BA07
Laryngectomy Starter Kit (Speech Pathology Software)	BA14
Laryngectomy Tubes	BA08
Larynx - Artificial - Consumables	BA02
Larynx – Artificial – (Electro Larynx)	BA01

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
Leg Bag (non sterile/sterile)	AD09
Lever Taps	AL04
Library Service Fee for Talking Books	AN03
Lifts (Stair Lifts) - Mobility	AL05
Lighting – Sensor Lights	BG02
Lighting – Other	BG03
Limb Protectors	AR29
Listeners (TV Listening Device)	AA04
Locator Devices (Item Finder)	BF05
Long Handled Comb/Brush	AU08
Long Handled Toe Wiper	AU10
Low Vision Appliances – Miscellaneous Items	AN17
Lumbar Braces (including abdominal binders)	AR08
Lymphoedema Pump	AR23
Lymphoedema/Compression Garment Consumables (glue/adhesive/spray)	AR26
Magnifier - TV Screen	AN13
Medication Timers/Alerts	BF06
Microphone / FM Listening System	AA06
Mirror Electronic	BA05
Monkey Bar / Self-Lifting Stand	AB12
Mouth Irrigator	BA09
Muscle Stimulator for Continence Issues (includes appropriate electrodes and batteries)	AD27
Nail Brush with Suction Cap	AU11
Nebuliser	AY05
Non-Slip Table Mat	AH09
Non-Slip Surfacing (including non-slip strips)	AL06
Non-Slip Mat – Indoor and Outdoor (rubber backed mats)	BG01
Nose – Prostheses (artificial)	AW04
Occlusive Devices (e.g. anal plugs)	AD16
Orientation and Mobility Training (for visually impaired)	AN05
Orientation Clock / Calendar (Cognitive/Dementia/Memory Assistive Technology)	BF01
Orientation Signs (Cognitive/Dementia/Memory Assistive Technology)	BF02
Over Toilet Frame / Toilet Surround	BE06
Oxygen - Domiciliary and Portable	AY02
Oxygen Consumables and Accessories	AY16
Palliative Care Consumables	AT13
Para-Diabetic Products	AF10
Peak Flow Meter	AY07
Pedals – Exercise – Physiotherapy / Exercise	AV02
Pen Injection Device (insulin)	AF05
Pen Injection Needles	AF06
Penile Clamp	AD10
Personal Response Systems – Monitored	AA05
Personal Response Systems – Non-Monitored	AA03

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
Pessary Ring	AD20
Porta Potty (includes frame and solution for continued use)	BE07
Portable Battery Operated Video Magnifier	AN20
Power Assist Device for Manual Wheelchair	AP25
Pressure Alarm (Sensor) Mat – Low Frequency	AA16
Pressure Care Mattress	AB14
Prosthetic Accessories	AW06
Prosthesis - Everyday	AW07
Prosthesis - Secondary	AW08
Prosthetic Recreational Sports Aid	AW13
Quadstick / Quadrupod	AP06
Rails (internal and external)	AL09
Ramps – Fixed and Demountable	AL10
Ramps – Portable (includes folding or retractable aluminium/fibreglass)	AL11
Reaching Appliances	AH11
Respiratory Suction Apparatus	AY12
Retractable Garden Hose	BG04
Safety Home Bracelet	BF10
Scissors – Spring Loaded Adaptive	AH12
Scooter – Electric - Accessories - Batteries	AP02
Scooter – Accessories - Safety Helmet	AP04
Scooter – Electric	AP05
Scrotal Support	AR09
Sheepskin Overlay / Foot / Heel / Elbow Pads (medical use only)	AB11
Shoe Horn – Long Handled	AU15
Shoe Lace – Elasticised (Elasticised Shoe Laces)	AU14
Shower – Hand Held	AZ02
Shower Seat – Fold Down	AZ03
Shower Stool / Chair	AZ04
Sleep Apnoea Positional Therapy Device	AY08
Sling for Hoist – Additional	AM02
Smoke Alarm Package for the Hearing Impaired	AA17
Sound and Movement Monitors	BF08
Speaking Valves	BA06
Speech Pathology Software/Applications for Communication Devices - Assistive	BA14
Step Modifications	AL14
Stoma Appliances	
Stool – Height Adjustable	AC03
Stove Isolation Switch	AL23
Surgical Corsets (including belt/truss)	AR14
Syringe Driver (Subcutaneous Infusion Device)	AT09
Table - Over Bed	AB13
Talking Book Device (Daisy Player)	AN09
Tap Turner (see also AL00 Lever Taps)	AH13

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
<u>Telecare (tracking) for Safer Walking</u>	BF12
<u>Telephone Equipment and Accessories</u>	AA10
<u>Television – Closed Circuit</u>	AN11
<u>TENS Machine</u>	BD03
<u>TENS Machine Accessories</u>	BD04
<u>Tinnitus Devices</u>	AK02
<u>Toilet Seat – Coloured</u>	BF03
<u>Toilet Seat – Raised</u>	BE10
<u>Therapeutic Neck Supports</u>	AE03
<u>Tracheostoma Consumables</u>	BA10
<u>Tracheostoma Valve</u>	BA11
<u>Transfer Equipment</u>	AP09
<u>Traymobile – Height Adjustable</u>	AH14
<u>TV Connected Video Magnifier</u>	AN19
<u>Upper Limb Supports/Braces (including tennis elbow brace)</u>	AR03
<u>Urethral Meatal Dilator</u>	AD17
<u>Urinal (male and female)</u>	AD04
<u>Urine Collection Bag Hanger</u>	AD13
<u>Urine Drainage Bottle - 4 Litres (with connecting tubing)</u>	AD08
<u>Vacuum Enhancement Device (appliance for impotence)</u>	AS11
<u>Vegetable Board (kitchen cutting board) – Modified</u>	AH15
<u>Vertical Platform Lifts (Includes Water Lifts)</u>	AL07
<u>Voice Prostheses - (artificial larynx)</u>	BA12
<u>Volumatic Spacer</u>	AY15
<u>Walking Frame (includes wheeled walking frame)</u>	AP12
<u>Walking Frame Accessories (e.g. seat, basket)</u>	AP22
<u>Walking Stick</u>	AP13
<u>Walking Stick Holder/Strap/Accessories</u>	AP15
<u>Watch – Wrist (low-vision)</u>	AN15
<u>Waterproof Protectors for Limbs</u>	AZ06
<u>Waterproof sheet - Water Proof Backing (Draw Sheet)</u>	AD01
<u>Waterproof Sheet (rubberised)</u>	AD14
<u>Wheelchair – Electric</u>	AP16
<u>Wheelchair – Manual (customised)</u>	AP19
<u>Wheelchair – Manual (standard)</u>	AP17
<u>Wheelchair Accessories</u>	AP14
<u>Wireless Streaming Device (accessory to connect hearing aids with external devices)</u>	AA18
<u>Wig – Human Hair</u>	AS13
<u>Wig – Synthetic</u>	AS12
<u>Wound Treatment Negative Pressure Equipment (large)</u>	AS19
<u>Wound Treatment Negative Pressure Equipment (small)</u>	AS18

INDEX OF RAP EQUIPMENT

Description of appliance	Item No.
Delivery Cost/One-off items	
Delivery and Testing Cost Codes	DD00
One-off RAP items	AS22
Replacement Parts and / or Repairs	
Alarm System / Communication Appliances / Assistive Listening Devices	AA15
Bed / Bedding / Pressure Care	AB16
Chairs / Seats	AC10
Cushions / Supports	AE06
Cognitive/Dementia/Memory Assistive Technology	BF13
Continence Products	AD28
Eating / Kitchen / Household Adaptive Appliances	AH18
Footwear Repairs	AJ08
Tinnitus Devices	AK03
Home Modifications	AL22
Lifting Devices	AM03
Low Vision Appliances	AN18
Mobility Appliances	AP21
Orthoses – Splints / Supports / Braces / Slings	AR27
Other Appliances	AS17
Palliative Care Appliances	AT14
Physiotherapy Appliances	AV16
Prostheses	AW10
Respiratory Home Therapy Appliances	AY17
Showering / Bathing Appliances	AZ05
Speech Pathology Appliances	BA13
Toileting Appliances	BE11

Note: To look up individual items, press 'CTRL f' on the RAP Schedule and use the search function.

AA00 – Alarm System / Communication Appliances / Assistive Listening Devices						
Item No	Description of appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments	
AA02	Induction Loop	No	A, At, SP	No	<p>Hearing aid must incorporate a telecoil.</p> <p>This includes a hard-wired system that is installed in a specific area, such as around certain seats in a theatre, meeting room, and personal induction loops.</p> <p>Item should only be supplied when the client has an identified need for the equipment.</p>	
AA03	Personal Response Systems (PRS) - Non-Monitored	No	OT, RN, Physio	Yes Mobility & Functional Support	<p>Product assessment should be conducted to determine the best ‘fit’ of the equipment to the needs of the client.</p> <p>Non-monitored PRS are devices which, when activated, make a loud noise and/or flashing light to alert persons nearby or ring in a nearby residence.</p> <p>Health providers should conduct an in-home falls risk assessment, cognitive assessment, in-home assessment of the placement of the device within the home, training in the use of the equipment and follow up on usage.</p>	
AA04	TV Listening Device	No, unless exceeds \$741 or 1 per person	A, At	No	<p>Assessment Form for the supply of Personal Response System - D9199</p> <p>A clinical consultation and technical evaluation should be conducted to determine suitability of the equipment for the client and to train the client in its set up and use.</p> <p>The current practice is for hearing clinics to conduct the assessments and forward the request to RAP.</p>	
AA05	Monitored Personal Response Systems (PRS) including Mobile Personal Emergency Response Systems (MPERS)	No, unless exceeds 1 per person	OT, RN, Physio	Yes Personal Response System	<p>Monitored PRS are devices which involve installation and are monitored by an emergency alarms service.</p> <p>MPERS are LMOS-enabled emergency response pendants that work anywhere inside and outside the home environment where there is a mobile signal.</p> <p>Health providers should conduct an in-home falls risk assessment, cognitive assessment, in-home assessment of the placement of the device within the home, training in the use of the equipment and follow up in usage.</p> <p>Prior Approval is required where a spouse still requires the device after the existing user’s death. DVA will allow a period from the date of death in order to determine the spouse’s potential eligibility.</p>	
AA06	Microphone/FM Listening System	No, unless exceeds \$1832 or 1 per person	A, At	No	<p>Assessment Form for the supply of Personal Response System - D9199</p> <p>The client will require hearing assessment and compatible hearing aid/s prior to supply. A clinical consultation and technical evaluation should be conducted to determine suitability of the equipment for the client and to train the client in its set up and use.</p> <p>A hearing assessment and compatible hearing aids are required prior to supply. Items should only be supplied when the client has an identified need for the equipment. Listening goals remain unmet at the conclusion of the rehabilitation program, and a person is capable of managing the device independently or with the support of others. Refer to the RAP National Guidelines for further detail.</p>	

[Link Back to Index of RAP Equipment](#)

AA00 – Alarm System / Communication Appliances / Assistive Listening Devices					
Item No	Description of appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
	Communication Devices – Assistive (see B04)				
AA10	Telephone Accessories	No	A, At, OT, SP, S	No	A functional and product assessment should be conducted to determine suitability of the equipment for the client. Before prescribing the equipment, the health provider should identify alternative avenues for sourcing the equipment (For example, Telstra Disability Products and Services; Optus Disability Products and Services; National Relay Service). Links to Telstra and Optus disability equipment, a captioning service for the Deaf, and the Government's Relay Service are provided below.
					<p>Telstra Disability Equipment Program</p> <p>Telstra Disability Products and Services</p> <p>Optus Disability Products and Service</p> <p>Sprint CapTel Captioning Service</p> <p>National Relay Service</p>
AA11	Door Bell with Signal Light (Hearing impaired appliance)	No	A, At, OT, RN, S	Yes	Health Providers should conduct an assessment of function, vision and cognition to determine the most suitable item for the entitled person. A recent audiogram conducted by A or At should be available.
					<p>Home Assessment should be undertaken to determine the appropriate placement of signal light and door bell.</p>
AA15	Replacement parts and/or Repairs for AA items.	No, unless exceeds \$615	S, A, OT, SP, At, RN, Physio	Refer to RAP AA Item Number	If repairs and replacement parts are more than \$615, consider replacing the item.
					DVA accepts financial responsibility for items not covered under the warranty period.
AA16	Sensor Mat – lowfrequency	No	OT, RN, Physio	Mobility & Functional Support	This item may be considered to facilitate safety and independence within the home for entitled person who may wander due to dementia or cognitive and memory dysfunction.
					Health Providers should conduct the following assessments to determine the type of sensor mat most appropriate for the entitled person, such as bed mats, chair mats, floor mats, and train the carers in usage for:
					<ul style="list-style-type: none"> • in-home falls risk • cognitive • placement of device
					See also BF00 Cognitive, Dementia and Memory Assistive Technology .

[Link Back to Index of RAP Equipment](#)

AA00 – Alarm System / Communication Appliances / Assistive Listening Devices					
Item No	Description of appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AA17	Smoke Alarm Package for the Hearing Impaired	No	A, S, At, OT, RN, Physio, LMO	Installation through Mobility & Functional Support	<p>The smoke alarm package for the hearing impaired includes a photoelectric smoke alarm, a vibration pad and flashing light.</p> <p>To obtain the smoke alarm package, an audiologist is to confirm a profound hearing loss, or a severe hearing loss in the better functioning ear.</p> <p>Hard-wired smoke alarms as part of a package for hearing impaired will only be provided where a standard hard-wired smoke alarm is already installed in the home. The Building Code of Australia (BCA) outlines under what circumstances a smoke alarm should be either hard-wired (240-volts) or battery operated. As a general rule, homes built or undergone significant renovations from 1997 onwards require a hard-wired smoke alarm.</p> <p>Installation of hardwired smoke alarms must address the manufacturer's instructions and be undertaken by a qualified electrician and hard-wired smoke alarms must have a lithium battery back-up system.</p> <p>Where the Building Code of Australia allows for battery operated smoke alarms to be installed; only a 10 year lithium battery alarm is to be prescribed.</p> <p>The assessing health provider needs to ensure that the prescribed smoke alarm package meets the relevant Australian Standard.</p> <p>Installation: Funding of installation costs for a Smoke Alarm Package for the Hearing Impaired may be considered under AI16.</p> <p>Only standard installation costs of a Smoke Alarm Package for the Hearing Impaired will be funded. If installation is not provided by the supplier of the Smoke Alarm Package for the Hearing Impaired, the assessing health provider must complete a Direct Order Form – RAP Mobility & Functional Support Products - D0992 and send the completed form to one of DVA's Contracted Mobility & Functional Support Suppliers. The assessing health provider must state on the D0992 Direct Order Form whether the installation is for either a hard-wired (240-volts) or battery operated smoke alarm.</p> <p>Refer to AI16 for installation.</p>
AA18	Wireless Streaming Device (accessory to connect hearing aids with external devices)	No, unless exceeds \$611 or 1 per person	A, At	No	<p>The entitled person will require compatible hearing aids and a hearing assessment prior to supply.</p> <p>A clinical consultation and technical evaluation should be conducted to determine suitability of the equipment for the client and to train the client in its set up and use.</p> <p>RAP National Guidelines</p>

[Link Back to Index of RAP Equipment](#)

AB00 – Beds / Bedding / Pressure Care

Mattresses other than pressure care mattresses (AB14) or those supplied with an electrical adjustable bed provided by DVA (AB01), cannot be supplied under the RAP Schedule.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AB01	Bed - Adjustable Electrical	No, unless exceeds 1 per person	OT, RN, Physio	Yes Mobility & Functional Support	Recommended to assist with bed mobility and transfers and to facilitate medical and nursing care within the client's home. Not recommended for the primary management of chronic musculoskeletal pain. Functional, home and product assessments should be conducted. <u>RAP National Guidelines</u> apply.
AB02	Bed Back Rest – Manual	No	OT, Physio, RN	Yes Mobility & Functional Support	A companion bed may be considered in conjunction with this item, with prior approval.
AB03	Bed Blocks	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
AB04	Bed Board	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional and product assessments should be conducted. This item is to be used to create a firmer transfer surface and not as a therapeutic tool.
AB06	Bed Cradle	No	OT, Physio, RN Pod	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AB08	Bed Stick	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional and product assessments should be conducted. All entitled persons should have a comprehensive assessment to identify any risk factors associated with use of a bed stick.
AB09	Bedside Rail	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AB11	Sheepskin Overlay / Foot, Heel, Elbow Pads (medical use only)	No	OT, Physio, RN, LMO, S, Pod, Ch, Ost	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AB12	Monkey Bar / Self-Lifting Stand	No	OT, Physio, RN	Yes Mobility & Functional Support	Only consider using a medical grade sheepskin when a low pressure or pressure support surface is not tolerated.
AB13	Table – Over Bed	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional assessments should be undertaken.

[Link Back to Index of RAP Equipment](#)

AB00 – Beds / Bedding / Pressure Care

Mattresses other than pressure care mattresses (AB14) or those supplied with an electrical adjustable bed provided by DVA (AB01), cannot be supplied under the RAP Schedule.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AB14	Pressure Care Mattress	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. A validated pressure care assessment is required. For example, Waterlow scale.
AB16	Replacement Parts and/or Repairs for AB Items	No	OT, Physio, RN LMO, S, Pod, Ch, Ost	Yes Mobility & Functional Support	Consider replacement of lower cost items. DVA accepts financial responsibility for items not covered under the warranty period.
AB17	Heel Elevators for Pressure Care	No	OT, Physio, RN Pod	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. A validated pressure care assessment is required. For example, Waterlow scale.
AB18	Bed Back Rest - Electrical	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. May be suitable when the entitled person requires only the elevating head-end features of an electric bed.

[Link Back to Index of RAP Equipment](#)

AC00 – Chairs / Seats
(see also AB00 – Beds/Bedding/Pressure Care)

Item No	Description Of Appliance	Pri or Approval Required	Assessing Health Provider	Contracted Item	Comments
AC01	Chairs - Low/High Back/Ergonomic	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. Optional extras are not provided, such as trays. Ergonomic seating may be suitable for a person who prefers to sit at a desk to undertake tasks and social engagement.
AC03	Stool – Height Adjustable	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. This may be used for meal preparation and other bench activities, such as washing dishes.
AC04	Chair – Platform / Blocks	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
AC06	Chair – Electrically Operated Lift and Recline Chair	No, unless exceeds 1 per person	OT, Physio, S	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. An electric recliner chair is intended for use by entitled persons with clinical conditions causing a permanent inability to transfer or sit erect. There should be evidence that physiotherapy/treatment cannot improve the client's dysfunction.

Electric recliner chairs cannot be approved:

- when the clinical needs can be met by current furniture or by modifying current furniture;
 - for comfort;
 - primarily for the management of back or muscle/letal limb pain
 - primarily for use as a bed; or
 - primarily for management of lower limb oedema*.
- Heating/massaging units are not provided.

*When treating lower limb oedema it is important to be aware of current best practice that informs health providers that elevation of the feet below the level of the heart is ineffective and should be avoided. Best practice includes: calf pumping exercises, regular walks and elevation of lower limbs on a bed.

[Recliner Chair Assessment Form - RAP Mobility & Functional Support Products -D1316](#)

The assessing health provider must retain information to support the clinical need of an electric recliner chair in the entitled person's records. RAP National Guidelines apply.

[Link Back to Index of RAP Equipment](#)

AC00 – Chairs / Seats
(see also AB00 – Beds/Bedding/Pressure Care)

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AC07	Footstool – Height Adjustable	No	OT, Physio, RN	Mobility & Functional Support	Functional, home and product assessments should be conducted. Falls risk should be considered before ordering this item.
AC08	Chair – Fallout /Water	No, unless exceeds 1 per person	OT, Physio, RN	Mobility & Functional Support	Functional, home and product assessments should be conducted. This chair has inbuilt pressure care and is suitable for a frail client, such as a client receiving palliative care. Not available for clients residing in a RACF.
AC09	Chair – Manual Recliner	No, unless exceeds 1 per person	OT, Physio, RN	Mobility & Functional Support	Functional, home and product assessments should be conducted. A manual recliner chair is intended for use by entitled persons with clinical conditions causing a permanent inability to transfer or sit erect. There should be evidence that physiotherapy treatment cannot improve the client's dysfunction. A manual recliner chair cannot be approved: <ul style="list-style-type: none">• when the clinical needs can be met by current furniture or by modifying current furniture;• for comfort;• primarily for the management of back or musculoskeletal limb pain• primarily for use as a bed; or• primarily for management of lower limb oedema*. Heating/massage units are not provided.
AC10	Replacement Parts and/or Repairs for AC items	No	OT, Physio, RN, S, LMO, Ch, Ost	Mobility & Functional Support	*When treating lower limb oedema it is important to be aware of current best practice that informs health providers that elevation of the feet below the level of the heart is ineffective and should be avoided. Best practice includes: calf pumping exercises, regular walks and elevation of lower limbs on a bed.
					Recliner Chair Assessment Form - RAP Mobility & Functional Support Products_D1316

[Link Back to Index of RAP Equipment](#)

AD00 - Continence Products

- After the initial assessment and ordering of products by the assessing Health Provider, ongoing supply of products can be ordered as required by the entitled person.
- Recommend reassessment of the entitled persons needs every 2 years by any of the Assessing Health Providers specified below.
- Health Providers who specialise in the non-surgical treatment of continence and urological conditions are preferred when undertaking the required assessments.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AD01	Bedding protection- Re-usable: Draw sheet - Absorbent, waterproof backing	No	OT, RN, CA, S, LMO, Physio	Yes Continence	Functional and product assessments should be conducted. Functional assessment to establish: <ul style="list-style-type: none">• cause of incontinence and instigation of appropriate therapy programs;• severity of incontinence and the amount of leakage;• the absorbency level required when assessing the continence pads/aid; and• the health, safety and comfort needs of the entitled person. <u>Direct Order Form - Continence Products - D0988</u>
AD02	Disposable Liners/Underpads (blue underlay)	No	OT, RN, CA, S, LMO, Physio	Yes Continence	Same assessments as per item <u>AD01</u> should be undertaken.
AD03	Catheter Drainage Bag – overnight (non-sterile/sterile) non-drainable i.e. overnight bags, only used once.	No	RN, CA, S, LMO, Physio	Yes Continence	
AD04	Urinal (with/without holder) (male and female)	No	OT, RN, CA, S, LMO, Physio	Yes Continence Mobility & Functional Support	
AD05	Catheters -In-Dwelling (e.g. Foley) – Long term	No	LMO, S, CA, RN, Physio	Yes Continence	
AD06	Washable Continence Briefs	No	OT, RN, CA, LMO, S, Physio	Yes Continence	These briefs may already have a pad stitched in, or Vellaro, or pockets to allow for the addition of a pad (i.e. an <u>AD21</u>). Same assessment as per item <u>AD01</u> should be undertaken.
AD07	Continence Pads - Disposable	No	OT, RN, CA, LMO, S, Physio	Yes Continence	Disposable 'pull-ups' are considered to be pads. Same assessment as per item <u>AD01</u> should be undertaken.
AD08	Urine Drainage Bottle - 4 Litres (with connecting tubing)	No	RN, CA, S, LMO	Yes Continence	

[Link Back to Index of RAP Equipment](#)

AD00 - Continence Products

- After the initial assessment and ordering of products by the assessing Health Provider, ongoing supply of products can be ordered as required by the entitled person.
- Recommend reassessment of the entitled persons needs every 2 years by any of the Assessing Health Providers specified below.
- Health Providers who specialise in the non-surgical treatment of continence and urological conditions are preferred when undertaking the required assessments.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AD09	Leg Bag (non sterile/sterile)	No	RN, CA, S, LMO	Yes Continence	
AD10	Penile Clamp	No	S, RN, LMO, CA	Yes Continence	
AD11	Catheters – Intermittent (e.g. Nelaton)	No	LMO, S, CA, RN	Yes Continence	
AD12	Catheters - External (e.g. uridome / penile sheath / penile pouch)	No	RN, CA, S, LMO	Yes Continence	
AD13	Urine Collection Bag Hanger	No	RN, CA, S, LMO	Yes Continence	
AD14	Waterproof Sheet (rubberised)	No	OT, RN, CA, S, LMO	Yes Continence	Same assessment as per item <u>AD01</u> should be undertaken.
AD15	Continence Consumables	No	RN, CA, LMO, S	Yes Continence	Includes catheter packs, sterile gloves, cleaning agents, tubing and perineal/stoma cleansing products, sterile water and normal saline.
AD16	Occlusive Devices (e.g. anal plugs)	No	CA, S, LMO, RN	Yes Continence	
AD17	Urethral Metal Dilator	No	S, LMO	Yes Continence	Product assessment should be undertaken.
AD18	Faecal Collector – Perianal	No	RN, CA, S, LMO	Yes Continence	
AD19	Continence Briefs - (mesh/stretch)	No	OT, RN, CA, LMO, S, Physio	Yes Continence	Stretch, mesh, disposable briefs but can be washed/re-washed between 4-30 times before needing to be replaced. Used to hold either disposable pads (<u>AD07</u>) or washable pads (<u>AD21</u>) firmly in place.
AD20	Pessary Ring	No	RN, CA, LMO, S	Yes Continence	Same assessment as per item <u>AD01</u> should be undertaken.
AD21	Continence Pads – Re-usable/Washable	No	OT, RN, CA, LMO, S	Yes Continence	Initially by LMO, S, and subsequent request for supplies can be made by RN, CA or the entitled person. Often used in conjunction with <u>AD06</u> (long lasting continence briefs) or <u>AD19</u> (continence briefs – short term).
					Same assessment as per item <u>AD01</u> should be undertaken.

[Link Back to Index of RAP Equipment](#)

AD00 - Continence Products

- After the initial assessment and ordering of products by the assessing Health Provider, ongoing supply of products can be ordered as required by the entitled person.
- Recommend reassessment of the entitled persons needs every 2 years by any of the Assessing Health Providers specified below.
- Health Providers who specialise in the non-surgical treatment of continence and urological conditions are preferred when undertaking the required assessments.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AD22	Catheter Drainage Bag – overnight - (non-sterile/sterile) - Drainable	No	RN, CA, LMO, S	Yes Continence	Entitled person education and follow-up should be undertaken to ensure that the entitled person is aware of the number of usages possible per bag.
AD23	Catheter Valves - Long/Short Term	No	RN, CA, LMO, S	Yes Continence	For non-drainable bag see AD03 .
AD24	Chair Pads - Waterproof	No	OT, RN, CA, Physio	Yes Continence	Same assessments as per item AD01 should be undertaken.
AD26	Continence Absorbent Mat (for beside the bed only)	No	RN, CA, LMO, S, OT, Physio	Yes Continence	Functional, home and product assessments should be conducted.
AD27	Muscle Stimulator for Continence Issues (includes appropriate electrodes and batteries)	No	Physio, CA	Yes Continence	Use of the muscle stimulator would be part of an overall management plan which includes a home exercise program and appropriate reviews. Instruction in use, prescription of exercises and continence education would be provided by a continence nurse or physiotherapist. Evaluation of the effectiveness of this type of intervention would be completed prior to recommendation of supply.
AD28	Replacement Parts, Repairs and Accessories	No	OT, RN, CA, S, LMO, Physio	Yes Continence	DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AE00 – Cushions / Supports

Note: Magnetic/heating/vibrating items are not provided.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AE01	Back Supports	No	Physio, OT, Ch, Ost, RN, S, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. Back supports are recommended as part of a management plan for an assessed clinical need.
AE02	Bed Wedges and Supports	No	Physio, OT, RN, Pod	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. Bed wedges and supports are recommended as part of a management plan of an assessed clinical need
AE03	Therapeutic Neck Supports (see also <u>AR18 Cervical Collars</u>)	No	OT, Physio, Ch, Ost, S, RN, LMO	Yes Mobility & Functional Support	Functional and Product assessments should be conducted. Therapeutic neck supports are recommended as part of a management plan for an assessed clinical need.
AE04	Pressure Care Cushion	No	OT, Physio, RN, Pod, LMO, Ch, Ost, S	Yes Mobility & Functional Support	DVA does not accept financial responsibility for the provision of standard pillows. Functional and product assessments should be conducted. A validated pressure care assessment should be undertaken. For example, Waterlow scale.
AE06	Replacement Parts and/or Repairs for AE items	No	OT, Physio, Ch, Ost, RN, S, LMO	Yes Mobility & Functional Support	Consider replacement if the cost of replacement is less than \$240. DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AF00 – Diabetes Products

A range of products enabling better self-management of diabetes is available, free of charge or at minimal cost, to those registered on the National Diabetes Services Scheme (NDSS), an initiative of the Australian Government. This includes Insulin Needles and Syringes (AF03), Pen Injection Needles (AF06) and Diabetes Consumables (AF07). These items are available from NDSS Access Points, most typically a local pharmacy. DVA will continue to pay all co-payments for NDSS products supplied to eligible persons.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AF01	Blood Glucose Monitor	No	DC, LMO, S, DE, RN	No	Functional and product assessments should be conducted.
AF02	Finger Pricking Device	No	DC, LMO, S, DE, RN	No	Functional and product assessments should be conducted.
AF03	Insulin Syringes and Needles	No	DC, LMO, S, DE, RN	No	Supplied through NDSS access points.
AF04	Lancets	No	DC, LMO, S, DE, RN	No	Functional and product assessments should be conducted.
AF05	Pen Injection Device (insulin)	No	DC, LMO, S, DE, RN	No	Functional and product assessments should be conducted.
AF06	Pen Injection Needles	No	DC, LMO, S, DE, RN	No	Supplied through NDSS access points.
AF07	Diabetes Consumables	No	DC, LMO, S, DE, RN	No	Supplied through NDSS access points.
AF09	Blood Glucose Monitor (non-contracted)	Yes	DC, LMO, S, DE, RN	No	Functional and product assessments should be conducted. This item refers to specialised glucometers.
AF10	Para-Diabetic Products (control solutions, check paddles, end caps, sharps collectors and diabetic aids)	No	DC, LMO, S, DE, RN	No	Functional and product assessments should be conducted.
AF11	Diabetes Education & Support Service	No	DC, LMO, S, DE, RN, D	No	

[Link Back to Index of RAP Equipment](#)

AH00 – Eating / Kitchen / Household Adaptive Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AH01	Crockery and Cutlery – Adaptive	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted. <u>AH06</u> should be considered in the first instance.
AH04	Book Holder/Electronic Book Holder	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AH06	Handle – Utensil	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AH07	Jar Opener	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted prior to <u>AH01</u> .
AH08	Key Turner	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AH09	Non-Slip Table Mat	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AH11	Reaching Appliances	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AH12	Scissors – Spring Loaded Adaptive	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
AH13	Tap Turner (see also <u>AH04</u> – lever taps)	No	OT, RN, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AH14	Traymobile – Height Adjustable	No	OT, RN, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted. Assessment of in-home mobility and environment in which the aid is to be used should be undertaken to determine safe and appropriate use.
AH15	Vegetable Board – Modified	No	OT, RN, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.

[Link Back to Index of RAP Equipment](#)

AH00 – Eating / Kitchen / Household Adaptive Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AH17	Eating/Kitchen/Household Adaptive Appliances—Miscellaneous Items	No	OT, RN, Physio, LMO, S, SP	Yes Mobility & Functional Support	Functional and product assessments should be conducted. Items specifically designed for individuals with disability — for example, tea-pot tipper, dysphagia cup.
AH18	Replacement Parts and/or Repairs for AH items.	No	OT, RN, Physio, LMO, S	Yes Mobility & Functional Support	If costs of repairs are over \$215 consider replacement. DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AJ00 – Footwear					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
	Foot Orthoses/Insoles (See AJ04)				
AJ06	Temporary Footwear (includes cast boots and post-operative shoes)	No	Pod, O, S, Physio, P, RN, LMO	Yes Mobility & Functional Support	Temporary footwear such as woundboots and post-operative shoes are provided for transitional use during an episode of care when use of the client's regular footwear is not possible.
AJ07	Footwear for Prosthetic Limb	No, unless exceeds three pairs at any one time	AC, P, S, Physio, Pod	No	Shoes are funded if they are required as an essential part of a Limb Prosthesis. These can be off the shelf or when necessary through the MGF program . Limit of two pairs of funded shoes at any one time. Replacement when shoes are no longer serviceable. Note limit extended to three pairs if the entitled person lives more than 100kms from the nearest footwear supplier.
AJ08	Footwear Repairs	No	O, Pod, S, Physio	No	DVA issued temporary footwear only. DVA accepts financial responsibility for items not covered under the warranty period.

AK00 – Tinnitus Devices					
(See Also AA00 – Alarm System/Communication Appliances/Assistive Listening Devices)					
Note : All hearing aids must be accessed through the Hearing Services Program (HSP) .					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AK02	Tinnitus Devices	Yes, limit of 1 per person	S, A	No	Functional and product assessments should be conducted. A clinical and technical consultation should be conducted to determine suitability of the equipment for the client. To be issued on a trial basis, and its benefit is to be evaluated by the Health Provider at a subsequent consultation.
AK03	Replacement Parts and/or Repairs for AK Items.	No	S, A	No	DVA accepts financial responsibility for items not covered under the warranty period.

AL00 – Home Modifications

Home Modifications must be completed in accordance with the regulations and requirements of any statutory bodies or authorities having jurisdiction over the works. The property owner must provide written approval for modification to be undertaken and provide DVA an undertaking not to seek compensation for restoration of property when modification is no longer required by the entitled person.

Installations should only be carried out on one residence. Confirmation is required that the entitled person intends to remain in the dwelling to be modified. Assessing Health Provider should be aware of maintenance issues before prescription.

RAP does not undertake general home maintenance or repairs such as levelling concrete paths and DVA is not responsible for maintaining funded home modifications, such as re-oiling ramps, regrouting shower tiles.

RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AL04	Lever Taps	No	OT	Yes Mobility & Functional Support	<p>Assessment of upper limb function should be undertaken along with trial of simpler products within the home environment e.g. tap turners.</p> <p>Maintenance of tap washers should be considered before prescribing lever taps. Entitled persons are responsible for regular home maintenance. If entitled persons require assistance with maintenance of tap washers, <u>Veterans Home Care</u> may be able to assist with safety related home maintenance issues.</p>
AL05	Stair Lifts	Yes, limit of 1 per person	OT	No	<p>Stair lift installations are considered complex major modifications and can only be installed to one primary residence. If the entitled person is residing in a shared housing complex, such as unit/townhouse, please contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP to discuss. <u>RAP National Guidelines</u> apply.</p> <p><u>AL05 AL10 & AL15 Home/Access Modifications Assessment Form (Major Modifications) - D1327</u> <u>Authority to Install/Modify Form - D1323</u></p> <p>Functional Assessment should include:</p> <ul style="list-style-type: none"> • Assessment of mobility, balance, falls risk and strength. Assessment by a Physiotherapist is recommended; • Activities of daily living and community access issues; • Investigation of other access options; and • Cognition, upper limb function and ability to safely operate the lift. <p>Home Assessment should include:</p> <ul style="list-style-type: none"> • Detailed diagrams and measurements of access and surrounding areas of residence for the proposed installation (AS1428.1 2009). <p>Product Assessment should include:</p> <ul style="list-style-type: none"> • Assessment of appropriate access for installation; and • Assessment of most appropriate device and method of operation as it relates to functional need. <p>Please ensure requests are complete and address all criteria contained in the National Guidelines prior to forwarding to DVA for consideration.</p>

[Link Back to Index of RAP Equipment](#)

AL00 – Home Modifications

Home Modifications must be completed in accordance with the regulations and requirements of any statutory bodies or authorities having jurisdiction over the works. The property owner must provide written approval for modification to be undertaken and provide DVA an undertaking not to seek compensation for restoration of property when modification is no longer required by the entitled person.

Installations should only be carried out on one residence. Confirmation is required that the entitled person intends to remain in the dwelling to be modified. Assessing Health Provider should be aware of maintenance issues before prescription.

RAP does not undertake general home maintenance or repairs such as levelling concrete paths and DVA is not responsible for maintaining funded home modifications, such as re-oiling ramps, regrouting shower tiles.

RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AL06	Non-slip Surfacing (including non-slip strips)	No	OT, Physio, RN	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. Non-slip surfacing may be requested for wet areas, such as showers, bathrooms, external stairs and ramps.
AL07	Vertical Platform Lifts	Yes, limit of 1 per person	OT	No	Eligibility: Vertical Platform lifts will only be supplied in respect of a war caused injury or disease/accepted disability (refer to <i>Treatment Principle</i> 11.3.1). Lift installations are considered complex major modifications and can only be installed to one primary residence. If the entitled person is residing in a shared housing complex, such as unit/townhouse, please contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP to discuss. <u>RAP National Guidelines</u> apply.
AL09	Rails (internal and external)	No, unless request is for more than one access point of the home	OT	Yes Mobility & Functional Support	<u>AL05, AL10 & AL15 Home/Access Modifications Assessment Form (Major Modifications) -D1327</u> <u>Authority to Install/Modify Form -D1323</u> Same assessment as per item AL05 should be undertaken. Includes internal and external grab rails and hand rails to access points of residence. Does not include rails for pools or spas. Rails on verandas and balconies should be referred to DVA as they may have building code ramifications. Functional and Home Assessments should include: <ul style="list-style-type: none">• Assessment of functional mobility and consideration of other options, such as appropriate gait aid or more specific therapy program;• Functional mobility within the home and the need for rail support as well as the type of rail required; and• Assessment of location for rails and associated measurements and diagrams for installation.

[Link Back to Index of RAP Equipment](#)

AL00 – Home Modifications

Home Modifications must be completed in accordance with the regulations and requirements of any statutory bodies or authorities having jurisdiction over the works. The property owner must provide written approval for modification to be undertaken and provide DVA an undertaking not to seek compensation for restoration of property when modification is no longer required by the entitled person.

Installations should only be carried out on one residence. Confirmation is required that the entitled person intends to remain in the dwelling to be modified. Assessing Health Provider should be aware of maintenance issues before prescription.

RAP does not undertake general home maintenance or repairs such as levelling concrete paths and DVA is not responsible for maintaining funded home modifications, such as re-oiling ramps, regrouting shower tiles.

RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AL10	Ramps – Fixed and Demount table	Yes	OT	No	<p>Ramp installations for access are considered complex major modifications and can only be installed to one primary residence. If the entitled person is residing in a shared housing complex, such as unit/townhouse, please contact the DVA Provider Line to discuss.</p> <p><u>RAP National Guidelines</u> <u>Home/Access Modifications Assessment Form</u> <u>Authority to Install/Modify Form</u></p> <p>Functional Assessment should include:</p> <ul style="list-style-type: none"> • Assessment of mobility, balance, falls risk, and strength, collaboration with a physiotherapist is recommended; • Activities of daily living — for example, issues with access to garden, shed or workshop • Community access issues • Investigation of other access options; and • Ability to safely negotiate ramp gradient with mobility aid. <p>Home Assessment should include:</p> <ul style="list-style-type: none"> • Functional assessment of access and simpler alternatives • Product assessment of ramp options for access • Detailed diagrams and measurements of access and surrounding areas of residence for the proposed installation (AS1428.1 2009). <p>Product Assessment should include:</p> <ul style="list-style-type: none"> • Assessment of appropriate access for installation • Assessment of most appropriate ramp (timber, modular etc.) and configuration in terms of functional need. <p>Please ensure requests include quotes from two registered builders, are complete and address all criteria contained in the National Guidelines prior to forwarding to DVA for consideration.</p>

[Link Back to Index of RAP Equipment](#)

AL00 – Home Modifications

Home Modifications must be completed in accordance with the regulations and requirements of any statutory bodies or authorities having jurisdiction over the works. The property owner must provide written approval for modification to be undertaken and provide DVA an undertaking not to seek compensation for restoration of property when modification is no longer required by the entitled person.

Installations should only be carried out on one residence. Confirmation is required that the entitled person intends to remain in the dwelling to be modified. Assessing Health Provider should be aware of maintenance issues before prescription.

RAP does not undertake general home maintenance or repairs such as levelling concrete paths and DVA is not responsible for maintaining funded home modifications, such as re-oiling ramps, regrouting shower tiles.

RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AL11	Ramps – Portable (includes folding or retractable aluminium/fibreglass)	No	OT	Yes Mobility & Functional Support	Provided where wedge ramps <u>[AL21]</u> are not suitable to access points of residence. Same assessments as per item <u>AL10</u> should be undertaken.
AL14	Step Modifications	No, unless more than one step	OT	Yes Mobility & Functional Support	Step modifications are limited to widening/increasing depth of the step tread to accommodate walking aid, where other simpler access and mobility options are not suitable. It may also include halving height of existing high step up to a doorway. Step modifications do not include maintenance of unsafe stairs or standardising uneven steps that do not meet relevant building code. New steps are not installed in cases where no steps currently exist. Functional and Home Assessments should include: <ul style="list-style-type: none">• Assessment of mobility and stair climbing; and• Assessment of simpler options for access, such as wedge ramps, hand or grab rails, alternative access. Modifications to more than one step require quotes from two registered builders and should be referred to DVA with clinical justification. <u>RAP National Guidelines</u> apply and the following forms need to be completed; <u>Home/Access Modifications Assessment Form</u> <u>Authority to Install/Modify Form</u>

[Link Back to Index of RAP Equipment](#)

AL00 – Home Modifications

Home Modifications must be completed in accordance with the regulations and requirements of any statutory bodies or authorities having jurisdiction over the works. The property owner must provide written approval for modification to be undertaken and provide DVA an undertaking not to seek compensation for restoration of property when modification is no longer required by the entitled person.

Installations should only be carried out on one residence. Confirmation is required that the entitled person intends to remain in the dwelling to be modified. Assessing Health Provider should be aware of maintenance issues before prescription.

RAP does not undertake general home maintenance or repairs such as levelling concrete paths and DVA is not responsible for maintaining funded home modifications, such as re-oiling ramps, regrouting shower tiles.

RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AL15	Home Modifications – Complex	Yes	OT	No	<p>Home Modifications are considered complex major modifications and can only be carried out to one primary residence. If the entitled person is residing in a shared housing complex, such as unit/townhouse, please contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP to discuss.</p> <p>Purchase of the residence should have occurred prior to any knowledge of the disability and where the entitled person would not have been able to reasonably judge that access was likely to become an issue.</p> <p>Functional Assessment should include:</p> <ul style="list-style-type: none"> • Objective assessment of activities of daily living • Therapy program to be implemented if appropriate • Investigation and trialling of simpler equipment options. <p>Home Assessment should include:</p> <ul style="list-style-type: none"> • Functional assessment of access and simpler alternatives • Product assessment of simpler options within the home for access • Detailed diagrams and measurements of the area to be modified with proposed installation/modification (AS1428.1 2009) • Preconstruction and post-construction visits with builders to procure quotes. <p>Product Assessment should include:</p> <ul style="list-style-type: none"> • Assessment of most appropriate and simplest equipment that meet functional needs. <p><u>RAP National Guidelines</u> <u>AL05, AL10 & AL15 Home/Access Modifications Assessment Form (Major Modifications) - D1327</u> <u>Authority to Install/Modify Form - D1323</u></p> <p>Please ensure requests include quotes from two registered builders, are complete and address all criteria contained in the National Guidelines prior to forwarding to DVA for consideration</p>

[Link Back to Index of RAP Equipment](#)

AL00 – Home Modifications

Home Modifications must be completed in accordance with the regulations and requirements of any statutory bodies or authorities having jurisdiction over the works. The property owner must provide written approval for modification to be undertaken and provide DVA an undertaking not to seek compensation for restoration of property when modification is no longer required by the entitled person.

Installations should only be carried out on one residence. Confirmation is required that the entitled person intends to remain in the dwelling to be modified. Assessing Health Provider should be aware of maintenance issues before prescription.

RAP does not undertake general home maintenance or repairs such as levelling concrete paths and DVA is not responsible for maintaining funded home modifications, such as re-oiling ramps, regrouting shower tiles.

RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AL16	Home Modifications – Minor – Labour Component	No	OT *A, At, RN, Physio, LMO	Yes Mobility & Functional Support	* Assessing Health Providers A, At, RN, Physio, and LMO may only prescribe AL16 for the installation of AA17 – Smoke Alarm Package for the Hearing Impaired . A Direct Order Form – RAP Mobility & Functional Support Products -D0992 must be completed and sent to a Mobility and Functional Support (MFS) contracted supplier. The form must specify whether installation is for a hard-wired or battery operated smoke alarm. Hard-wired smoke alarm installation will only be funded where the Building Code of Australia requires a 240 volt alarm to be installed. Refer AA17 .
AL21	Home Modifications – Minor	No	OT	Yes Mobility & Functional Support	Minor Modifications are partial changes to an already existing dwelling that enables the entitled person to achieve an appropriate level of independence and safety. Minor Modifications may include: rod for shower curtain, wooden wedges, step ramp, shower base platform, toilet door reversal or installation of lift-off hinges, threshold wedge, relocation of door handles/locks; relocation of existing hanging rods in wardrobe.
AL22	Replacement Parts and/or Repairs for AL items	No	OT		DVA does not fund home maintenance and/or repairs to existing structures such as pathways or stairs. Functional, home and product assessments should include: <ul style="list-style-type: none"> • Assessment of functional need; • trial/implementation of simpler equipment, alternative techniques and where appropriate, recommend referral to other Health Provider services; and • measurements and relevant drawings/diagrams for proposed minor modifications.
AL23	Stove Isolation Switch	No, unless requires override switch/key system	OT	Yes Mobility & Functional Support	This item can only be provided to enhance the entitled person's safety and independence at home where a high level of safety risk has been assessed. This risk may be due to dementia or cognitive and memory dysfunctions. In-home functional assessment and a cognitive evaluation is recommended. See also BF00 Cognitive, Dementia and Memory Assistive Technology .

AM00 – Lifting Devices					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AM01	Hoist/Personal Lifting Device (includes sling)	No	OT, Physio, RN	Yes Mobility & Functional Support	<p>Includes full body hoists or standing hoists.</p> <p>Functional assessment should be undertaken to determine:</p> <ul style="list-style-type: none"> • Mobility and transfers, such as bed to chair, chair to commode • Alternative simpler methods or equipment that enables safe transfers. <p>A home trial of the hoist is to be completed where practical.</p> <p>Education and training on the safe hoist and sling operation is essential and should be undertaken in the presence of the Health Provider.</p>
AM02	Additional Sling for Hoist	No	OT, Physio, RN	Yes Mobility & Functional Support	<p>Product assessment includes recommendation of the most appropriate type of hoist, standing vs full body, in relation to assessed functional need, individual weight and measurements.</p> <p>This item is provided when the functional assessment indicates an additional specialised sling is required, such as bathing/toileting sling.</p>
AM03	Replacement Parts and/or Repairs for AM Items	No	OT, Physio, RN	Yes Mobility & Functional Support	<p>DVA accepts financial responsibility for items not covered under the warranty period.</p> <p>Link Back to Index of RAP Equipment</p>
AM04	Ceiling Hoist	Yes	Physio, OT, RN	No	<p>Functional assessment should be undertaken to determine:</p> <ul style="list-style-type: none"> • Mobility and transfers, such as bed to chair, chair to commode • Alternative simpler methods or equipment that enables safe transfers. <p>Education and training on the safe hoist and sling operation is essential and should be undertaken in the presence of the Health Provider.</p> <p>Product assessment includes recommendation of the most appropriate hoist and sling in relation to assessed functional need, individual weight and measurements.</p> <p>RAP National Guidelines</p> <p>Home/Access Modifications Assessment Form</p> <p>Authority to Install/Modify Form</p>

[Link Back to Index of RAP Equipment](#)

AN00 – Low Vision Appliances (Non-Optical)

(See also AA00 – Alarm System/Communication Appliances/Assistive Listening TV Devices)

[Click here for DVA Contracted Suppliers](#)

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AN01	Clock (Braille alarm clock/talking clock)	No	LVC, Op, OT	Yes Low Vision	Product assessment should be conducted. See also BF00 Cognitive, Dementia and Memory Assistive Technology.
	Guide Dog	Yes	LVC, S	Yes Low Vision	See BH02
AN03	Library Service Fee for Talking Books	No	LVC, Op, OT	Yes Low Vision	Vision Australia and VisAbility also provide a library service free of charge to people who meet the clinical criteria. VisAbility
AN05	Orientation and Mobility Training (for visually impaired)	No	LVC, Op	Yes Low Vision	Includes mobility training for walking canes and electronic mobility aid. VisAbility
AN08	Electronic Mobility Aid	No	LVC, Op	Yes Low Vision	Product assessment should be conducted.
AN09	Talking Book Device (Daisy Player)	No	LVC, OT, Op	Yes Low Vision	
AN11	Television – Closed Circuit	Yes, limit of 1 per person	LVC, Op	Yes Low Vision	Functional and product assessments should be conducted. RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.
AN13	Magnifier - TV Screen	No	LVC, Op	Yes Low Vision	Product assessment should be conducted.
AN15	Watch – Wrist (low vision)	No	LVC, Op, OT	Yes Low Vision	Product assessment should be conducted.
AN17	Low Vision Appliances – Miscellaneous Items	No	LVC, OT, Op	Yes Low Vision	Product assessment should be conducted. Includes coin holders, large print teleDEX, needle threader, tactile marks for appliances, liquid level indicator, signature guide, white cane, ID cane, writing frame and vision impairment badge. Lamps are not provided.
AN18	Replacement Part and/or Repairs	No, unless exceeds \$426	LVC, OT, Op	Yes Low Vision	DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AN00 – Low Vision Appliances (Non-Optical)

(See also AA00 – Alarm System/Communication Appliances/Assistive Listening TV Devices)

[Click here for DVA Contracted Suppliers](#)

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AN19	TV Connected Video Magnifier	No, unless exceeds \$1109	LVC, Op	Yes Low Vision	Functional and product assessments should be conducted. This item is used like a mouse for the computer. It allows images to be displayed on television or computer screen up to 24x magnification and can be used in a variety of formats, such as newspapers, prescription bottles.
AN20	Portable Battery Operated Video Magnifier	No, unless exceeds \$1303	LVC, S, Op	Yes Low Vision	Functional and product assessments should be conducted. This item is an electronic version of a standard handheld magnifier. It would assist with reading food labels and prices etc. while shopping.

[Link Back to Index of RAP Equipment](#)

AP00 – Mobility Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AP01	Vehicle Modifications (for example, driving controls/alterations)	Yes, limit of 1 per person	OT, S, LMO	No	<p>A vehicle modification can be made to a car/van to allow an entitled person with a disability to access drive, or travel in.</p> <p>Simpler car modifications should be considered in the first instance.</p> <p>Eligibility: DVA only provides this item to veterans who have a medically assessed need due to a war-caused injury or disease/accepted disability (refer to <i>Treatment Principles</i> 11.3.1)</p> <p>The entitled person must verify ownership of vehicle and possession of suitably endorsed licence to drive modified vehicle (if required) before DVA will proceed with modification.</p> <p>The functional and product assessments should include:</p> <ul style="list-style-type: none"> • Detailed physical, visual, cognitive and visual-spatial assessments to demonstrate the entitled person's functional ability to safely operate a modified vehicle; • Recommended car modifications need to be trialled and quotations for the modifications obtained; and • Any necessary training that may be required should also be detailed. <p>RAP National Guidelines apply.</p>
AP02	Batteries for Electric Scooters	No	OT	Yes Mobility & Functional Support	Entitled person to contact supplier to arrange replacement of batteries for DVA issued electric mobility aid.
AP03	Crutches	No	Physio, OT, Ch, Ost, LMO, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AP04	Safety Helmet-Scooters	No	LMO, RN, OT, Physio, S	Yes Mobility & Functional Support	

[Link Back to Index of RAP Equipment](#)

AP00 – Mobility Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AP05	Electric Scooter	Yes, limit of 1 per person	OT, S, LMO	Yes Mobility & Functional Support	<p>Simpler options should be firstly considered, such as public transport, taxis.</p> <p>This item is provided to veterans who hold a DVA Health Care Card- For All Conditions or Totally and Permanently Incapacitated (Gold Card) or a DVA Health Card – For Specific Conditions (White Card). The provision of this item does not extend to war widows/widowers or dependants.</p> <ul style="list-style-type: none"> Detailed physical, visual, cognitive and visual-spatial assessments are undertaken to demonstrate the client is able to safely operate an electric scooter. Prior to an OT assessment, a LMO must send the D9300 form -Scooter/Electric Wheelchair Part 1 Medical Questionnaire to RAPgeneralenquiries@DVA.gov.au. Following approval from DVA, the OT will conduct an assessment and complete part one of the D1325 form -Scooter/Electric Wheelchair Part 2 Assessment. This is to be submitted to DVA. If approved, the OT is notified and proceeds to organise a trial of equipment. Part two of the D1325 form is then completed by the assessing OT. <p>A periodic re-assessment of the veteran's capacity to safely operate the electric scooter is essential.</p> <p>Scooter Batteries see AP02.</p> <p>RAP National Guidelines apply.</p>
AP06	Quadstick/Quadrax	No	Physio, OT, S, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AP07	Knee Walker/Scooter	No	Physio	Yes Mobility & Functional Support	<p>Prescribed following referral by an orthopaedic surgeon when the surgeon's protocol requires non-weight bearing of foot or ankle post-surgical care.</p> <p>Functional and safety assessment including education should be undertaken by the hospital physiotherapist for indoor and outdoor use.</p>
AP09	Transfer Equipment	No	OT, Physio, RN	Yes Mobility & Functional Support	<p>Functional, home and product assessments should be conducted.</p> <p>Includes boards, slide sheets, and portable swivel pads/turntables.</p>
AP12	Walking Frame (includes wheeled walking frame)	No	Physio, OT, Ch, Ost, S, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted.

[Link Back to Index of RAP Equipment](#)

AP00 – Mobility Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AP13	Walking Stick	No	Physio, OT, Ch, Ost, S, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AP14	Wheelchair Accessories	No	Physio, OT, Ch, Ost, S, LMO	Yes Mobility & Functional Support	
AP15	Walking Stick Holder / Strap / Accessories	No	Physio, OT, Ch, Ost, S, RN, LMO	Yes Mobility & Functional Support	
AP16	Electric Wheelchair	Yes, limit of 1 per person	OT, S, LMO	Yes Mobility & Functional Support	<p>This item is provided to veterans who hold a DVA Health Care Card– For All Conditions or Totally and Permanently Incapacitated (Gold Card) or a DVA Health Card – For Specific Conditions (White Card). The provision of this item does not extend to war widows/widowers or dependants.</p> <ul style="list-style-type: none"> Detailed physical, visual, cognitive and visual-spatial assessments are undertaken to demonstrate the client is able to safely operate an electric wheelchair. Prior to an OT assessment, a LMO must send the D9300 Form -Scooter/Electric Wheelchair Part 1 Medical Questionnaire to RAPgeneralenquiries@DVA.gov.au. Following approval from DVA, the OT will conduct an assessment and complete part one of the D1325 form - Scooter/Electric Wheelchair Part 2 Assessment. This is to be submitted to DVA. If approved, the OT is notified and proceeds to organise a trial of equipment. Part two of the D1325 form is then completed by the assessing OT. <p>A periodic re-assessment of the veteran's capacity to safely operate the electric wheelchair is essential. RAP National Guidelines apply.</p>
AP17	Manual Wheelchair – (standard)	No	OT, Physio	Yes Mobility & Functional Support	Detailed functional assessments should be undertaken to determine need for, and the entitled person's ability to operate manual wheelchair. Assessment of body dimensions and weight, functional skills, and home layout and access are essential in determining the safest and most appropriate wheelchair to be provided.
AP19	Manual Wheelchair – (customised)	Yes, limit of 1 per person	OT, Physio	Yes Mobility & Functional Support	Standard manual wheelchair should be considered in the first instance, if appropriate. Detailed functional assessments should be undertaken to determine need for, and the entitled person's ability to independently operate customised manual wheelchair. Assessment of body dimensions and weight, functional skills, and home layout and access are essential in determining the safest and most appropriate wheelchair to be provided.

[Link Back to Index of RAP Equipment](#)

AP00 – Mobility Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AP20	Training for use of Vehicle Modifications	Yes, limit of 1 per person	OT, S, LMO		<p><u>Eligibility:</u> DVA only provides this item to veterans who have a medically assessed need due to a war-caused injury or disease/accepted disability (refer to <i>Treatment Principles 1.1.3.1</i>).</p> <p>DVA will only cover the cost of lessons to learn to use the car modifications, not to give basic driving lessons on how to drive a car, or to re-learn driving skills. Maximum of six lessons.</p> <p>Specialist post-graduate training in driving assessment is required to assess for and recommend this item.</p>
AP21	Replacement Parts and/or Repairs for AP Items	No	Physio, OT, S, Ch, Ost, LMO, RN	Yes Mobility & Functional Support	<p>DVA accepts financial responsibility for items not covered under the warranty period.</p>
AP22	Walking Frame Accessories	No	Physio, OT, S, Ch, Ost, LMO, RN	Yes Mobility & Functional Support	
AP23	Car Hoist (external and internal)	Yes, limit of 1 for manual wheelchair only	S, OT	No	<p><u>Eligibility:</u> DVA only provides this item to veterans who have a medically assessed need due to a war-caused injury or disease/accepted disability (refer to <i>Treatment Principles 1.1.3.1</i>).</p> <p><u>RAP National Guidelines</u></p> <p>Functional assessment should be undertaken to determine:</p> <ul style="list-style-type: none"> • Functional mobility and transfers; • Alternative simpler equipment and other methods in the first instance, such as use of wheelchair carrier, quick release wheelchair axles, wheelchair accessible taxi; and • Suitable physical and cognitive skills (as assessed) to safely operate the device. <p>The entitled person is required to own the vehicle.</p>

[Link Back to Index of RAP Equipment](#)

AP00 – Mobility Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AP24	Driving Assessment	Yes , limit of 1 service per person	S, LMO, OT	No	<p>Eligibility: DVA only provides this item to veterans who have a medically assessed need due to a war-caused injury or disease/accepted disability (refer to <i>Treatment Principles</i> 11.3.1).</p> <p>Driving Assessment under this RAP Schedule code is defined as an assessment of an entitled person's driving skills to identify a need for car modification (AP01). It does not include assessment for fitness to drive, driver re-habilitation or refresher lessons.</p> <p>A driving assessment and report is to be undertaken by an Occupational Therapist with the relevant post-graduate qualifications in driving assessment, in conjunction with a suitably qualified driving instructor. The following areas are to be reported on:</p> <ul style="list-style-type: none"> • The entitled person's visual, cognitive and visual-spatial abilities; • Level of impairment; and • Ability to operate the vehicle safely. <p><u>RAP National Guidelines</u> apply.</p>

[Link Back to Index of RAP Equipment](#)

AP00 – Mobility Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AP25	Power Assist Device for Manual Wheelchair	Yes limit of 1 per person	OT, S, LMO	Yes Mobility & Functional Support	<p>A Power Assist Device for a Manual Wheelchair may, for example, enable a client to negotiate undulating terrains independently.</p> <p>This item is provided to veterans who hold a DVA Health Care Card – For All Conditions or Totally and Permanently Incapacitated (Gold Card) or a DVA Health Card – For Specific Conditions (White Card). The provision of this item does not extend to war widows/widowers or dependants.</p> <ul style="list-style-type: none"> Detailed physical, visual, cognitive and visual-spatial assessments are undertaken to demonstrate the client is able to safely operate a Power Assist Device. Prior to an OT assessment, a LMO must send the D9300 form -Scooter/Electric Wheelchair Part 1 Medical Questionnaire to RAP generalenquiries@DVA.gov.au. Following approval from DVA, the OT will conduct an assessment and complete part one of the D1325 form -Scooter/Electric Wheelchair Part 2 Assessment. This is to be submitted to DVA. If approved, the OT is notified and proceeds to organise a trial of equipment. Part two of the D1325 form is then completed by the assessing OT. <p>A periodic re-assessment of the veteran's capacity to safely operate the power assist device is essential.</p> <p>The Power Assist Device should only be used with a manual wheelchair with a manufacturer's endorsement of compatibility.</p> <p>Batteries see AP02.</p> <p>RAP National Guidelines apply.</p>
AP26	Wheelchair Power Pack – Carer operated	Yes, limit of 1 per person	OT, S, LMO	Yes Mobility & Functional Support	<p>This carer operated wheelchair power pack will only be considered where the carer is unable to propel a manual wheelchair. For veterans, who are eligible to access an electric wheelchair or scooter, this device will only be considered where the veteran is unable to safely operate an electric wheelchair or scooter.</p> <p>A trial of the recommended device within the community is to be undertaken by the Health Provider to determine suitability and safe use. Final Departmental approval is dependent on the trial outcome.</p> <p>RAP National Guidelines apply.</p>

AR00 – Orthoses – Splints / Supports / Braces / Slings

Item No	Description of Appliance	Prior Approval required	Assessing Health Provider	Contracted Item	Comments
AR01	Ankle Supports/Braces	No, unless exceeds \$184 per item or 3 per year	Physio, Pod, S, Ch, Ost, O, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. This item would be provided as part of an overall rehabilitation management plan.
AR02	Knee Supports/Braces	No, unless exceeds \$370 per item or 3 per year	Physio, S, Pod, Ch, Ost, O, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. The most simple brace that meets the client's functional demands and mobility level should be prescribed. This item would be provided as part of an overall rehabilitation management plan.
AR03	Upper limb supports/braces	No, unless exceeds \$370 per item or 6 items per year	Physio, S, OT, O, Ch, Ost, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted over \$1222 an orthopaedic surgeon should nominate a specific brace. This item would be provided as part of an overall rehabilitation management plan.
AR04	Foot orthotics and orthoses	No, unless exceeds \$431 per pair or 1 pair of orthoses per year	Pod, Physio, S, O, Ch, Ost, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. Includes any type of corrective or palliative device for the foot This item would be provided as part of an overall rehabilitation management plan.
AR08	Lumbar Braces (including abdominal binders)	No, unless exceeds \$305 per item or 2 per year	Physio, S, Ch, Ost, O, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. This item would be provided as part of an overall rehabilitation management plan.
AR09	Scrotal Support	No	S, LMO, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AR14	Surgical Corsets (including belt / truss)	No	S, LMO, RN, Physio, Ch, Ost	Yes Mobility & Functional Support	Functional and product assessments should be conducted.

[Link Back to Index of RAP Equipment](#)

AR00 – Orthoses – Splints / Supports / Braces / Slings

Item No	Description of Appliance	Prior Approval required	Assessing Health Provider	Contracted Item	Comments
AR18	Cervical Collars	No, unless exceeds \$305 per item or 2 per year	Physio, S, Ch, Ost, LMO, O	Yes Mobility & Functional Support	Functional and product assessments should be conducted. This item would be provided as part of an overall rehabilitation management plan.
AR19	Ankle Foot Orthoses (AFO)	No, unless exceeds \$246 per item or 2 per year	Physio, Pod, S, Ch, Ost, OT, O, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. The simplest AFO to meet the client's functional level and mobility demands should be prescribed. This item would be provided as part of an overall rehabilitation management plan.
AR22	Compression Garments	No, unless exceeds \$589 per pair or 3 pairs per 6 months	S, RN, Physio, OT, LMO, Pod	Yes Mobility & Functional Support	Functional and product assessments should be conducted. Compression garments are provided as a mode of treatment for conditions such as lymphoedema or venous insufficiency. Generic athletic training and recovery compression garments are not funded.
AR23	Lymphoedema Pump	Yes, limit of 1 per person	S, RN, Physio, OT	Yes Mobility & Functional Support	Health Providers should have specialist postgraduate training in oedema/lymphoedema management in order to access, measure, fit and review these garments.
AR26	Compression Garment Consumables (including glue/adhesive/spray)	No	S, RN, Physio, OT, LMO, Pod	Yes Mobility & Functional Support	In the case of lymphoedema treatment programs where therapy is more intensive, Health Providers are required to obtain prior approval from the relevant RAP personnel or clinical adviser. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information.
AR27	Replacement Parts and/or Repairs for AR Items	No	LMO, OT, S, Physio, Ch, Ost, O, Pod	Yes Mobility & Functional Support	DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AR00 – Orthoses – Splints / Supports / Braces / Slings

Item No	Description of Appliance	Prior Approval required	Assessing Health Provider	Contracted Item	Comments
AR28	Hip Protectors	No, unless exceeds 6 garments per year, plus shields	RN, Physio, S, OT, LMO	Yes Mobility & Functional Support	Functional and product assessments should be conducted. This item would be provided as part of an overall rehabilitation management plan.
AR29	Limb Protectors	No, unless exceeds 6 items per year	RN, Physio, S, OT, LMO, Pod	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AR30	Gripping Aid	No	OT, Physio, S	Yes Mobility & Functional Support	Functional and product assessments should be conducted. This splint may improve hand function when a neurological deficit or an injury makes gripping difficult. For example the gripping aid may enable use of equipment for a rehabilitation strengthening program, holding a racquet, handlebars or gardening tools or cutting with a knife.
AR31	Functional Electrical Stimulation (FES) Lower Limb Neuroprosthesis	Yes, limit of 1 per person every 8 years	ReC, S, O, Physio	No	Not implanted, this external device is generally used for those with neurological deficits, such as for hemiparesis following stroke. A trial is necessary to determine suitability, effectiveness and compliance. There should be evidence that the client is attending a rehabilitation clinic or hospital and is receiving care from a multi-disciplinary team.
AR32	Hand Rehabilitation System and Neuroprosthesis	Yes, limit of 1 per person every 8 years	ReC, S, P, Physio, OT	No	Not implanted, this external device is generally used for those with neurological deficits, such as for hemiparesis following stroke. A trial is necessary to determine suitability, effectiveness and compliance. Prescription for trial should originate from the multidisciplinary rehabilitation team managing the client.

[Link Back to Index of RAP Equipment](#)

AS00 – Other Appliances

AS00 – Other Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AS01	Blood Pressure Monitor (Sphygmomanometer)	No	S, LMO	Yes Mobility & Functional Support Low Vision	Product assessment should be conducted. Only provided where there is a clinical requirement for home monitoring of blood pressure.
AS11	Vacuum Enhancement Device (appliance for impotence)	No	S, Physio	No	Product assessment should be conducted. here alternative methods for overcoming impotence are not suitable.
AS12	Wig – Synthetic	No	S, LMO, RN	No	Product assessment should be conducted. Issued for hair loss due to a medical condition.
AS13	Wig – Human Hair	Yes, limit of 2 per person	RN, S, LMO	No	Product assessment should be conducted. Supplied to an entitled person who is becoming bald as a result of war caused injury or disease, or as a result of malignant neoplasia, or as a result of treatment of these conditions. A synthetic wig should be considered, unless there is a clinical requirement for natural hair. DVA will not accept financial responsibility for cleaning and setting the wig.
AS14	Enteral Feeding Pump	No	S, D, LMO	Yes Mobility & Functional Support	Product assessment should be conducted.
AS15	Enteral Feeding Pump Consumables	No	LMO, RN, S, D	Yes Mobility & Functional Support	Product assessment should be conducted. Includes feeding bags, naso-gastric tubes, peg feed tubes.
AS16	Bracelet/Pendant – (medical info for emergency)	No	LMO, S, RN	Yes Mobility & Functional Support	To be issued in stainless steel only. See also BF00 Cognitive, Dementia and Memory Assistive Technology .
AS17	Replacement Parts and/or Repairs for AS Items	No	LMO, RN, OT, S		If over \$214 consider replacement of the item. DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AS00 – Other Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AS18	Wound Treatment Negative Pressure Equipment – Ambulatory (small)	Yes	S, RN, Pod	No	<p>Product assessment should be conducted.</p> <p>The assessing RN should be a Clinical Nurse Consultant in Wound Management</p> <p>The assessing podiatrist should be working in a high risk foot service or have accreditation or membership as an advanced practising podiatrist in the high risk foot.</p> <p>The Assessing Health Provider should review treatment in 8 weeks and depending on the Health Provider's recommendation, a further 8 weeks of treatment may be approved.</p> <p>Limit treatment to 16 weeks in total for each wound in a 12 month period.</p>
AS19	Wound Treatment Negative Pressure Equipment - Mains Power (large)	Yes	S, RN	No	<p>Product assessment should be conducted.</p> <p>The assessing RN must be a Clinical Nurse Consultant (CNC) in wound management. The Specialist and/or CNC must review treatment in 8 weeks and depending on the prescriber's recommendation, a further 8 weeks of treatment may be approved.</p> <p>Limit treatment to 16 weeks in total for each wound in a 12 month period.</p>
AS22	One-off RAP items	Yes	Relevant Health Provider list on page vii	No	<p>Functional, home and product assessments as required.</p> <p>Requests to DVA for the supply of aids and appliances that do not appear on the Schedule must be referred in writing to RAPGeneralEnquiries@dva.gov.au.</p> <p>Requests should be based on a clinical need, and evidence provided that this need is not able to be met by the items already available on the RAP Schedule.</p> <p>This item code is strictly for RAP items that are provided in exceptional circumstances where no equivalent items appear on the Schedule.</p>

[Link Back to Index of RAP Equipment](#)

AT00 – Palliative Care Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
	Oxygen (See AT00 – Respiratory Home Therapy Appliances)				
AT09	Subcutaneous Infusion Device	Yes, if purchased	LMO, S, RN	No	Product assessment should be conducted. If these are supplied on loan from community palliative care clinics, no prior approval is required.
AT10	Indwelling Pleural/Abdominal Drainage Kit	No	LMO, S, RN	Yes Continence	Product assessment should be conducted. The assessing RN should be a Clinical Nurse Consultant or nurse practitioner in palliative care.
AT12	Drip Stand	No	LMO, S, RN	Yes Mobility & Functional Support	Product assessment should be conducted.
AT13	Palliative Care Consumables	No	LMO, S, RN	Yes Mobility & Functional Support	Product assessment should be conducted. Includes cassettes and extension sets, remote reservoir adaptors.
AT14	Replacement Parts and/or Repairs for AT Items	No	LMO, S, RN		DVA accepts financial responsibility for items not covered under the warranty period.
AT15	Infusion Pump Volumetric	Yes, limit of 1 per person	LMO, S, RN	No	Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP and ask to be put through to the relevant DVA State location Medical Adviser to discuss the entitled person's need for this item. Refer to VAPAC for Baxter Pumps.
AT16	Intravenous (IV) Set	No	LMO, S, RN	Yes Mobility & Functional Support	Product assessment should be conducted. Includes needles and syringes, butterfly needles, IV giving sets.

[Link Back to Index of RAP Equipment](#)

AU00 – Personal Hygiene / Grooming / Dressing Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AU01	Bottom Wiper	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional assessments should be conducted.
AU02	Button Hook	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU03	Denture Brush with Suction Cup	No	OT, LMO, RN, S, LDO, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU04	Dressing Stick	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU05	Disposable BedBath/Shampoo Kit	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support Contidence	Functional and product assessments should be conducted.
AU08	Long Handled Comb/Brush	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU10	Long Handled Toe Wiper	No	OT, Pod, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU11	Nail Brush with Suction Cap	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU13	Donning /doffing aids (i.e. for socks, stockings and compression garments)	No	OT, Pod, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.

[Link Back to Index of RAP Equipment](#)

AU00 – Personal Hygiene / Grooming / Dressing Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AU14	Elastised Shoe Laces	No	OT, Pod, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU15	Long Handled Shoe Horn	No	OT, RN, Physio, LMO, S, Pod	Yes Mobility & Functional Support	Functional and product assessments should be conducted.
AU16	Dignity Clothing	No, Unless exceeds 6 items per year	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional and product assessments to be conducted. Includes clothing protectors.

[Link Back to Index of RAP Equipment](#)

AV00 – Physiotherapy Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AV01.	Bicycle – Stationary Exercise (includes recumbent stationary bikes)	No, unless exceeds 3 month hire period	Physio, S, Ch, Ost, EP	Yes Mobility & Functional Support	An exercise bike is not intended for general fitness. An exercise bike may be considered for weight loss upon request by a Bariatric Specialist who is supervising a weight loss program for medical reason. The hire of exercise bikes may be considered for a 3 month episode of care, such as post knee surgery rehabilitation. For the initial 3 month hire period, send a direct order to the contracted supplier. To ensure safe use of the stationary exercise bike, the LMO should provide a document that states it is medically safe for the entitled person to undertake this exercise program. Retain this document in the client's records. At the end of 3 months, the health provider is required to complete, and submit to DVA, the "Request for Exercise Bike" form to indicate there is a clinical necessity for further hire periods. Request for Exercise Bike Form D9160
AV02	Pedals Exercise	No, unless exceeds 1 per person	Physio, S, Ch, Ost, EP	Yes Mobility & Functional Support	The use of the pedals is expected to form part of an individually prescribed and monitored exercise program. The Health Provider is responsible for the assessment of the safe use of this item. Factors such as risk of skin tears and tripping must be considered.
AV10	Exercise equipment (small items)	No	Physio, S, OT, Ch, Ost, EP	Yes Mobility & Functional Support	Exercise equipment is provided to enable the timely transition of the clients care to a monitored exercise program they can perform in their own environment in line with best practice. The Health Provider is responsible for the assessment of the safe use of these items. DVA does not fund fitballs, balance boards/discs or exercise equipment with moving parts (with the exception of AV01 and AV02).
AV16	Replacement Parts and/or Repairs for AV items	No	Physio, S, Ch, Ost, EP	Yes Mobility & Functional Support	If over \$267, consider replacing the item. DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AW00 – Prostheses					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AW01	Ears - Artificial	No	LMO, S	No	Product assessment should be conducted.
AW02	Breast Prosthesis - Non-Implanted	No	LMO, S, RN	No	Product assessment should be conducted. This item refers to the breast prosthesis and the purpose designed bras.
AW03	Eye Prosthesis	No	LMO, S	No	Product assessment should be conducted.
AW04	Nose Prosthesis	No	LMO, S	No	Product assessment should be conducted.
AW06	Prosthetic Accessories	No	S, LMO, Physio, P, OT, AC, RN	No	Product assessment should be conducted. Includes bra for breast prosthesis (mastectomy bra), stump socks, silicon knee sleeves.
AW07	Voice Prostheses (See BA12)				
AW07	Everyday Prosthesis	No, unless everyday prosthesis exceeds 2 everyday prosthesis per limb every 3 years	AC, S, P, Physio	No	The provision of an everyday prosthesis follows assessment by the multidisciplinary prosthetic team. The request should include specific functional goals with evidence of the prosthetic evaluation and review. Details of the assessment may include but not be limited to the following: stump integrity, residual limb, general muscle strength and endurance, balance, cardio-vascular fitness, the presence of comorbidities and/or psychosocial factors that may influence compliance and functional goals. In addition, there should be evidence of use of relevant standardised outcome measures, such as Six Minute Walk Test, Activities-Specific Balance Confidence Scale, Amputee Mobility Predictor – K level, C-Leg Evaluation Protocol, Timed Get Up and Go Test.
AW08	Secondary Prosthesis (Also see AW13)	Yes, 1 per person per limb every 3 years	AC, S, P, Physio	No	Replacement of a prosthesis and componentry requires support from the Amputee Clinic team or Specialist. Includes shower leg, water arm/leg, sports leg, occupational limb, cosmetic limb. In addition to comments in AW07, the request should include evidence of clinical appropriateness and specific need.
					* A second prosthesis may be provided for sports or recreation if the first is for an occupational purpose.
	Footwear to accompany an artificial leg (See Footwear A100)				Replacement of a prosthesis and componentry requires support from the Amputee Clinic team or Specialist

[Link Back to Index of RAP Equipment](#)

AW00 – Prostheses					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AW10	Replacement Parts and/or Repairs for AW Items	No, unless exceeds \$615	LMO, Physio, P, OT, AC, S	No	DVA accepts financial responsibility for items not covered under the warranty period.
AW13	Prosthetic Recreational Sports Aid	Yes, 1 per person per limb every 3 years	S, AC, P, Physio	Upper limb prosthetic attachments to enable participation in recreation/sports, such as swimming freestyle aid, basketball hand.	Detailed assessment is necessary as per AW07/AW08 and should include information regarding the appropriateness of the current component.
AW14	Adaptive Recreational Sports Aid for Amputees	Yes, 1 per person per limb every 3 years	Physio, OT, S, AC, P	These appliances, which are not prosthetic extensions, facilitate participation in recreation and sports with/without use of the client's prosthesis.	There should also be evidence that entitled person has the necessary physical attributes, functional capacity and commitment to perform the activity/sport on a regular basis.
				Examples include sports specific wheelchair, adapted 3 track ski system, soccer gait aids, clamp on fishing pole.	
				Sports wheelchairs may also be considered for clients who are unable to participate in their sport without the use of a wheelchair due to a neurological or musculoskeletal condition.	
				Detailed assessment is necessary as per AW07/AW08.	
				There should also be evidence that entitled person has the necessary physical attributes, functional capacity and commitment to perform the activity/sport on a regular basis, such as membership of sporting club, detail of coaching program.	

[Link Back to Index of RAP Equipment](#)

AY00 – Respiratory Home Therapy Appliances

Specialist advice plus assessment by Health Provider should be undertaken for all items except nebulisers, sputum mugs and peak flow meters

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AY01.	PAP (Positive Airway Pressure)	No, unless it exceeds 1 per person	RC, S	Yes PAP	Functional, home and product assessments should be conducted. Application for PAP Therapy Equipment Form D9140 RAP National Guidelines apply
AY02	Oxygen – Dormiciliary and Portable	No	RC, S	Yes Oxygen	Functional, home and product assessments should be conducted. Includes oxygen concentrators, replacement cylinders. Thoracic Society Guidelines apply.
AY03	Humidifier / Vaporiser	No	LMO, S, RN, Physio, RC	Yes CPAP Oxygen	Home Medical Oxygen Therapy Application Form D0804 Thoracic Society of Australia
AY05	Nebuliser	No	LMO, S, RN, Physio, RC	Yes Oxygen	Functional, home and product assessments should be conducted. This item should form part of the PAP system and should not be provided in isolation, with the exception of people with laryngectomy.
AY07	Peak Flow Meter	No	RC, LMO, RN, Physio, S	Yes Oxygen	Product assessment should be conducted.
AY08	Sleep Apnoea Positional Therapy Device	No	RC, LMO, RN, Physio, S	Yes CPAP	Mask only provided where necessary to co-ordinate use of peak flow meter. Simplest item to meet functional needs should be provided in the first instance.
AY12	Respiratory Suction Apparatus	No	RC, RN, S, Physio, LMO, SP	Yes Oxygen	Body position devices that discourage supine sleep.
AY14	Bi-PAP or V-PAP	No, unless exceeds 1 per person	RC, S	Yes CPAP	Application for PAP Therapy Equipment Form D9140
AY15	Volumatic Spacer	No	RC, LMO, RN, Physio, S	Yes Oxygen	
AY16	Oxygen Consumables and Accessories	No	RC, LMO, Physio, RN, S	Yes Oxygen	
AY17	Replacement Parts and/or Repairs for AY Items.	No	RC, LMO, RN, Physio, S	Yes CPAP Oxygen	DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

AY00 – Respiratory Home Therapy Appliances					
Specialist advice plus assessment by Health Provider should be undertaken for all items except nebulisers, sputum mugs and peak flow meters					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AY18	Flutter Valve (lung Mucous Clearance Device)	No	S, Physio, RC, LMO	Yes Oxygen	
AY19	PAP Consumables and Accessories	No	RC, LMO, Physio, RN, S	Yes CPAP	Includes masks, filters, tubing.
AY20	Inspiratory Muscle Respiratory Trainer	No	LMO, Physio, S, RC, SP	Yes Oxygen	This product is prescribed for entitled persons with asthma, bronchitis, Chronic Obstructive Pulmonary Disease. DV will not pay for this item as part of fitness training.

[Link Back to Index of RAP Equipment](#)

AZ00 – Showering / Bathing Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
A201	Bath Board / Bench/ Seat	No	OT, RN, S	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. Simplest item to meet functional needs should be provided in the first instance. Trialling equipment within the home may be indicated to assist in determining the most appropriate device for the entitled person's circumstances.
A202	Shower – Hand Held	No	OT, RN, S	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
A203	Shower Seat – Fold Down	Yes	OT, RN, S	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. Simplest item to meet functional need to be provided in the first instance, such as shower chair/stool, transfer bench. Fold down shower seats are considered more complex equipment due to the associated installation work required. These are only provided where the bathroom design does not safely accommodate the use of standard seated showering aids. Shower recess walls must be inspected by qualified tradesperson and deemed to be structurally sound to support the fold down shower seat.
A204	Shower Stool/Chair	No	OT, RN, Physio, LMO	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
A205	Replacement Parts and Repairs for AZ Items	No	OT, RN, S, Physio	Yes Mobility & Functional Support	DVA accepts financial responsibility for items not covered under the warranty period.
A206	Waterproof Protectors for Limbs	No	OT, RN, S, Pod, LMO	Yes Mobility & Functional Support	Product assessment should be conducted. Waterproof protector for cast or dressings.

[Link Back to Index of RAP Equipment](#)

AZ00 – Showering / Bathing Appliances

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
AZ07	Bath Lift (battery operated)	Yes	OT, RN, S, LMO	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. Primary use of bath lift is to facilitate soaking for medical management of complex skin conditions. Referral by a medical specialists should outline the necessary medical regime. For general washing the simplest item to meet functional need is to be provided in the first instance, such as shower chair/stool, transfer bench.

[Link Back to Index of RAP Equipment](#)

BA00 – Speech Pathology Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BA01	Electrolarynx (also known as artificial larynx)	No	SP, S	No	Functional and product assessments to be conducted. This device needs to be trialled first.
BA02	Electrolarynx Consumables – Rechargeable Batteries	No	SP, S, RN, LMO	No	Following the initial request by the health provider, the entitled person can make subsequent requests for the batteries.
BA03	Communication Board (including manufacturing costs)	No	SP, S	No	Functional and product assessments to be conducted. Includes design, labour and manufacturing costs. For example, lamination of board, provision of folder, board-clip.
BA04	Communication Devices – Assistive	Yes	SP, S A*	No	Functional and product assessments to be conducted. * Audiologist may assess for a speech processor or. This item also includes base model tablets and iPads with a protective cover to be used specifically for the purpose of running assistive speech or speech pathology applications. Provision for any other purpose will not be considered. Education and training in usage for the entitled person should be undertaken prior to provision.
					Repairs and maintenance to the communication device following the cessation of any warranty period set by the supplier should be arranged through DVA.
					For personal computers, laptops, tablets and iPads any additional software requirements such as antivirus programs, operating systems, word processing programs, and internet accessing fees are the responsibility of the entitled person.
					All speech pathology application and software requests should be placed under item <u>BA14</u> .
					This item also includes personal computers and laptops, which are electronic communication systems combining hardware and software. This item is only to be issued to DVA clients with a severe communication impairment or complex communication needs.
					<u>RAP National Guidelines</u> apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information. <u>Communication Device Form D1382</u>
BA05	Mirror – Electronic	No	SP, S	No	Functional and product assessments to be conducted.
BA06	Speaking Valves	No	SP, S	No	Functional and product assessments to be conducted. Issued only for the purpose of assisting clients in adjusting/fitting their voice prostheses.

[Link Back to Index of RAP Equipment](#)

BA00 – Speech Pathology Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BA07	Laryngectomy Consumables	No	SP, S, RN, LMO	No	Functional and product assessments to be conducted. For example, shower shields, cloth stoma covers, foam stoma protectors, tube holders, neck ties, double sided adhesive tape, surgical lubricant, stents for dilating puncture, catheters, gel caps, cleaning brushes for indwelling voice prostheses.
					Following the initial request by the health provider, the client can make subsequent requests for consumables.
BA08	Laryngectomy Tubes	No	SP, S, RN, LMO	No	Functional and product assessments to be conducted.
BA09	Mouth Irrigator	No	SP, S, RN, LMO	No	Functional and product assessments to be conducted. For post-operative head/neck surgery only.
BA10	Tracheostoma Consumables	No	SP, S, RN, LMO	No	Functional and product assessments to be conducted. For example, Tracheostomy collars, tube holders, adhesive tape, tracheostoma valve housing, adhesive discs, valve diaphragms.
					Following the initial request by the health provider, the client can make subsequent requests for consumables.
BA11	Tracheostoma Valve	No	SP, S, LMO	No	Functional and product assessments to be conducted. Maximum of 3 months' supply at a time.
BA12	Voice Prosthesis	No	SP, S	No	Functional and product assessments to be conducted.
BA13	Replacement Parts, Repairs and Servicing	No, unless exceeds \$369	SP, S, RN, LMO	No	
BA14	Speech Pathology Software/Applications for Communication Devices - Assistive	Yes	SP, S	No	Functional and product assessments to be conducted. RAP National Guidelines apply. Contact the DVA Provider Line on 1800 550 457 and select option 1, then option 2, for RAP for further information. Communication Device Form D1382
BA15	Jaw Motion Rehabilitation System	No	SP, S	Yes Mobility & Functional Support Continence	Functional and product assessments to be conducted. This device is used to prevent and treat trismus (lock jaw) due to head and neck radiotherapy.
BA16	Thickened fluid products	No	SP, LMO	Yes Continence	This item is for non-nutritional fluid thickeners only. Direct Order Form - Request for Thickeners - D9166 Maximum of 3 months' supply at a time.
	Humidifier / Vaporiser (see AY03)				

[Link Back to Index of RAP Equipment](#)

BA00 – Speech Pathology Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
	Respiratory Suction Apparatus (see AY12)				

Stoma Appliances

DVA is responsible for the costs of membership of a Stoma Association and the postage of stoma supplies.
Please contact the Stoma Association in your State for further information.

BD00 – TENS Equipment					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BD03	TENS Machine	No, unless exceeds \$369	Physio, PIC, Ch, Ost, S, LMO	Yes Mobility & Functional Support	Functional and product assessments to be conducted. The provision of a TENS Machine is to be part of multi-modal treatment. It is recommended the safety, effectiveness and appropriateness of the TENS Machine is monitored by an appropriate health provider on a regular basis.
BD04	TENS Machine Accessories	No	Physio, PIC, Ch, Ost, RN, S, LMO	Yes Mobility & Functional Support	Includes recharger, batteries.

[Link Back to Index of RAP Equipment](#)

BE00 – Toileting Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BE01	Bidet (includes electronic model)	No Limit one per residence	OT	Yes Mobility & Functional Support	Trial of simpler aids and alternatives for personal hygiene must be demonstrated in the first instance. It is necessary to consider relevant state regulations related to installation of this item to ensure compliance with Australian Standards.
BE02	Commode Chair (bedside)	No	OT, RN, Physio	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
BE03	Commode Pan / Bed Pan / Slipper Pan	No	OT, RN, LMO, Physio	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
BE04	Mobile Shower Commode Chair	No	OT, RN, Physio	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
BE06	Over Toilet Frame / Toilet Surround	No	OT, RN, CA, S, Physio, LMO	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted. A second toilet aid may be provided in cases where the entitled person resides in a split level residence and requires access to toileting facilities on both levels. Entitled person must have clinical or functional need that clearly indicates provision of aid on both levels of residence, such as significant mobility impairment, chronic clinical condition where urgency and/or frequency exists.
BE07	Porta Potty (includes frame and solution for continued use)	No	OT, S, CA, RN, LMO	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
BE10	Toilet Seat – Raised	No	OT, RN, Physio, S	Yes Mobility & Functional Support	Functional, home and product assessments should be conducted.
	Urinal (See AD04 Urinal)				
BE11	Replacement Parts and/or Repairs for BE Items	No	OT, RN, Physio, CA, S, LMO	Yes Mobility & Functional Support	DVA accepts financial responsibility for items not covered under the warranty period.

[Link Back to Index of RAP Equipment](#)

BE00 – Toileting Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BE00 – Toileting Appliances					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BE12	RPZ Valves for Bidet (BE01)	No	OT	Mobility & Functional Support	Trial of 80mm seat raiser must be considered/demonstrated in the first instance. For some locations, an RPZ valve is required for compliance.
BE13	RPZ Inspections for Bidet (BE01)	No	OT	Mobility & Functional Support	Home assessment should be conducted. It is necessary to consider relevant state and council regulations related to installation of this item to ensure compliance with Australian Standards.
					It is necessary to consider relevant state and council regulations related to inspection of this item.

BF00 – Cognitive, Dementia and Memory Assistive Technology					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BF00 – Cognitive, Dementia and Memory Assistive Technology					
					Some aids may also be useful for managing clients with Acquired Brain Injury (ABI) resulting from trauma, disease, stroke, alcohol, drugs, hypoxia, degenerative neurological disease, Multiple Sclerosis, Huntington's disease, Motor Neurone disease, Parkinson's disease. ABI can affect a person's cognitive, physical, emotional and independent function resulting in a mild to profound loss of independence.
					The LMO or Medical Specialist is responsible for ensuring a comprehensive assessment is conducted, such as using the Psychogeriatric Assessment Scales. The referral from the LMO or Medical Specialist must specify type and stage of dementia, or ABI, and include relevant details of current co-morbidities and medication.
					Entitled persons receiving care in a Commonwealth Funded Residential Aged Care Facility (RACF) are not provided with BF00 equipment.
					Prompts, Reminders and Orientation These aids aim to orient entitled persons to time and place and support independence in daily activities by compensating for diminishing cognitive skills.
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BF01	Orientation Clock / Calendar	No	OT, LMO, RN, S, Physio	Mobility & Functional Support	Functional, product and home assessments to be conducted. For example, calendar clock, day clock.
BF02	Orientation Signs	No	OT, LMO, RN, S, Physio	Mobility & Functional Support	Functional, product and home assessments to be conducted. For example, stop signs.

[Link Back to Index of RAP Equipment](#)

BF03	Coloured Toilet Seat	No	OT, LMO, RN, S, Physio	Yes	Mobility & Functional Support	Functional, product and home assessments to be conducted.
BF00 – Cognitive, Dementia and Memory Assistive Technology						
These aids aim to orientate entitled persons to time and place and support independence in daily activities by compensating for diminishing cognitive skills.						
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments	
BF05	Locator Devices (Item Finder)	No	OT, LMO, RN, S, Physio	Yes	Mobility & Functional Support	Functional and product assessments to be conducted. For example, Wireless Item Finder.
BF06	Medication Timers/Alerts	No	OT, LMO, RN, S, Physio	Yes	Mobility & Functional Support	Functional and product assessments to be conducted. For example, Pill Box Reminder with alarm settings and storage compartments.
BF07	Memory logger	No	OT, LMO, RN, S, Physio	Yes	Mobility & Functional Support	Functional and product assessments to be conducted. For example, Verbal Reminder Alarm with message setting.
BF08	Sound and Movement Monitors	No	OT, LMO, RN, S, Physio	Yes	Personal Response System	Functional, product and home assessments to be conducted. Includes door and room monitors.
BF09	Exit Reminder	No	OT, LMO, RN, S, Physio	Yes	Personal Response System	Functional, product and home assessments to be conducted. For example, Wander Reminder System, personalised messages and infrared motion detection.
BF10	Safely Home Bracelet	No	LMO, RN, S	No		Functional and product assessments to be conducted. To be issued in stainless steel only. The safely home bracelet is for people with dementia who tend to wander from their home. This type of bracelet is available in some States. Further information, contact the National Dementia Helpline 1800 100 500.
BF11	Home Safety	No	OT, LMO, RN, S, Physio	Yes	Mobility & Functional Support	Functional, product and home assessments to be conducted. Includes flood prevention bathplugs and sink plug stopper, tap cap, power point safety cover, stove guard and sink overflow detector.

[Link Back to Index of RAP Equipment](#)

BF00 – Cognitive, Dementia and Memory Assistive Technology**Telecare Support – Independence**

These aids use satellite technology to locate a person who may have become disoriented and unable to navigate their way home or has wandered from their own familiar environment. Tracking devices can improve a person's independence and support the carer, however the assessing health provider needs to evaluate risks associated with wandering and the need for personal freedom and the right to privacy. Tracking devices are less likely to be applicable for entitled clients in the later stages of dementia.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BF12	Telecare (Tracking) Devices	No	OT, LMO, S, RN Personal Response System	Yes	Functional, product and home assessments to be conducted. Other simpler approaches should be trialled initially. Walking has substantial benefits however there are valid ethical issues to consider before prescribing a LMOS tracking device when a person is unable to give informed consent. Clinical records should reflect collaboration between entitled client, carer, treating medical doctor and specialists, allied health providers and any other relevant person. A record of consent by the entitled client or Enduring Power of Attorney (Medical Treatment) is necessary.

BF00 – Cognitive, Dementia and Memory Assistive Technology**Replacement Parts and/or Repairs for BF items**

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BF13	Replacement Parts and/or Repairs for BF items	No	LMO, RN, S, OT, Physio	Yes Mobility & Functional Support	Consider replacement of the item for lower cost items. DVA accepts financial responsibility for items not covered under the warranty period.

BG00 – Falls Prevention

Entitled persons receiving care in a Commonwealth Funded Residential Aged Care Facility (RACF) are not provided with BG00 equipment.

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BG01	Non-slip Mat – Indoor and Outdoor (rubber backed mats)	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional, product and home assessments to be conducted.
BG02	Lighting - Sensor Light	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional, product and home assessments to be conducted. Including portable sensor light and external sensor. Needs to be installed (refer BG16).
BG03	Lighting – Other	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional, product and home assessments to be conducted. For example, 3-in-1 night light and touch lamp.
BG04	Retractable Garden Hose	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional, product and home assessments to be conducted. Needs to be installed (refer to BG16).
BG05	Portable Clothes Drying Rack	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Functional, product and home assessments to be conducted. For both indoor and outdoor use.
BG16	Falls Prevention - Labour Component	No	OT, LMO, RN, S, Physio	Yes Mobility & Functional Support	Note: DVA does not alter the height or location of existing external clotheslines.
	Grab / Hand Rails (See AL09)				
	Non-Slip Surfacing (including non-slip strips) (See AL06)				
	Step Modification (See AL14)				
	Home Modifications – Minor (See AL21)				Includes toilet door reversal or installation of lift-off hinges, threshold wedge, relocation of door handles/locks, relocation of existing hanging rods in wardrobe.

[Link Back to Index of RAP Equipment](#)

BH00 – Assistance Dogs
 Refer to [RAP National Guidelines](#) for detailed assessment criteria for all assistance dogs

Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BH01	Psychiatric Assistance Dog	Yes, limit of 1 per person	Psych, Psychiat, MH OT, MHSW	Yes	Supplied as an adjunct to PTSD treatment. Functional and Home assessments should be conducted. Provision of a psychiatric assistance dog is based on the veteran having an accepted health condition of post-traumatic stress disorder or having been appropriately diagnosed with post-traumatic stress disorder by a psychiatrist. The veteran must be undergoing treatment by a psychiatrist or a psychologist for post-traumatic stress disorder and must have been undergoing such treatment for at least three months. (refer to <i>Treatment Principles</i> 11.3.5.1). Includes dog, training, freight and accommodation during training. Request for Psychiatric Assistance Dog Prior Approval Form D9356
BH02	Guide Dog	Yes, limit of 1 per person	LVC, S	Yes	DVA will refer applications to contracted supplier of psychiatric assistance dogs for assessment and interview. Functional and Home assessments should be conducted. Includes dog, training, freight and accommodation during training.
BH03	Mobility Assistance Dog	Yes, limit of 1 per person	S, OT	No	DVA will refer applications to State Branch of Guide Dogs for the Blind Association, for assessment and interview. Provision of a Guide Dog is based on assessed clinical need due to a war-caused injury/accepted disability (refer to <i>Treatment Principles</i> 11.3.1). Functional and Home assessments should be conducted. Includes dog, training, freight and accommodation during training. Provision of a mobility assistance dog is based on assessed clinical need due to a war-caused injury/accepted disability (refer to <i>Treatment Principles</i> 11.3.1).
BH04	Hearing Assistance Dog	Yes, limit of 1 per person	A, At, OT, S	No	DVA will refer applications to State Branch of Guide Dogs for the Blind Association, for assessment and interview. Provision of a hearing assistance dog is based on assessed clinical need due to a war-caused injury/accepted disability (refer to <i>Treatment Principles</i> 11.3.1). Supplied for profound or severe hearing loss. Functional and Home assessments should be conducted. Includes dog, training, freight and accommodation during training. Provision of a hearing assistance dog is based on assessed clinical need due to a war-caused injury/accepted disability (refer to <i>Treatment Principles</i> 11.3.1).

[Link Back to Index of RAP Equipment](#)

BH00 – Assistance Dogs					
Refer to RAP National Guidelines for detailed assessment criteria for all assistance dogs					
Item No	Description Of Appliance	Prior Approval Required	Assessing Health Provider	Contracted Item	Comments
BH05	Upkeep Costs for Assistance Dogs	No, up to \$565 per quarter	Psych, Psychiat, MH OT, MH SW, LVC, S, OT, A, At	No	DVA will accept financial responsibility for reasonable upkeep costs and maintenance of an assistance dog supplied by DVA. Applications for reimbursement should be submitted on an Application for Reimbursement of Medical Expenses Privately Incurred form D1181 and must be supported by paid itemised accounts or receipts.

DD00 – Delivery and Testing	
Item No	Description Of Appliance
DD01	Continence
DD02	Diabetes
DD03	Personal Response System
DD04	Oxygen
DD05	Positive Airway Pressure
DD06	Mobility Functional Support
DD07	Low Vision Appliances
DD10	Other
DD16	Installation of Equipment
DD17	Test and Tag

[Link Back to Index of RAP Equipment](#)